INDEX TO KEW BULLETIN
Volume 58

CABI BIOSCIENCE
EGHAM LIBRARY
17 MAR 2005

Principal references are indicated † and illustrations *

Acacia 491, 496, 627, 704, 910, 915
—— subgen. *Aculeiferum* 496
—— *lahai* 631
—— *macracantha* Humb. & Bonpl. ex Willd. 468
—— *mahrana* Thulin & Gifri 495, 496
—— *nitida* (Vahl) Willd. 492
—— *ochracea* Thulin & A. S. Hassan 496
—— *petrensis* Thulin †495, 496, *497
—— *senegal* complex 496
—— *tenue* (Craib) Kosterm. 493
—— *tortilis* 900
—— sp. 424, 606, 613, 708
Acanthaceae: The 2-lipped species of Strobilanthes (Acanthaceae), J. R. I. Wood & R. W. Scotland 83
Acanthaceae: Notes on Strobilanthes: the Sympagis group, J. R. I. Wood, J. R. Bennett & R. W. Scotland 131
Acanthaceae: A revision of Strobilanthes (Acanthaceae) in Java, J. R. Bennett & R. W. Scotland 1
Acanthaceae: Two new species of Acanthaceae from NE tropical Africa and Arabia, Kelbessa Ensermu 703
Acanthaceae 2, 6, 104, 114, 139, 155, 606, 625, 695, 704, 711, 734, 769, 789
—— subtribe *Strobilanthinae* Bremek. 4, 5, 7, 10, 83, 94, 131
Acanthopale 5
An account of the Papuasian species of Calamus (Arecaceae) with paired fruit, John Dransfield & William J. Baker 371
Achariaceae 971
Achoundong, G. & Cheek, Martin: Two new species of Rinorea (Violaceae) from western Cameroon 957
Acrotome Benth. ex Endl. 598, 599
Actinidiaceae 240
Actoplanes K. Schum. in Engler 651
—— *canniformis* (G. Forst.) K. Schum. 651
Adelobotrys DC. 459, 461, 463, 465
—— *acreana* Wurdack 459, 463
—— *klugii* Wurdack 459, 463
—— *macrophylla* Pilg. 459, 463
—— sp. aff. —— Pilg. 463
—— *marginata* Brade 463, 464
—— *ruokolainenii* Schulman †459, 461, *462, 463 – 465
Adenacanthus Nees 1 – 4, 18, 83, 99, 100, 104
—— *acuminatus* Nees in Wall. 56, 99
—— *glandulosus* (Blume) Bremek. 54, 75, 99
—— *repandus* (Blume) Bremek. 56, 99
—— *rubroglandulosus* (Craib) Bremek. 57, 99
Adenosma affinis Griff. 134
Adenostachya Bremek. 18
—— *comosa* (Benoist) Bremek. 52
—— *moschifera* (Blume) Bremek. 52
—— *parviflora* Bremek. 75
—— *plurispica* Bremek. 52
Aechmanthera Nees 1 – 4, 84
—— *gossypina* (Wall.) Nees 84
Aeollanthus buchnerianus 620
Aeollanthus sp. 625
Afrothismia: A new species of Afrothismia (Burmanniaceae) from Kenya, Martin Cheek 951
Afrothismia (Engl.) Schltr. 951, 954
—— *baerae* Cheek †951, 952, *953, 954
—— *winkleri* (Engl.) Schltr. 227, 947, 948, 951, 954
—— cf. —— (Engl.) Schltr. 939, 948
Agarista sp. 623
Agauria 220
Aidia micrantha 978
Aizoaceae 432
Albizzia sp. 632
Allanblackia monticola Mildbr. ex Engl. 449
—— *stuhlmannii* 978
Aloe sp. 625
Alzateaceae 199
Amegilla 654
Amphiscopia aequilabris (Nees) Nees in DC. 818
—— *strobilacea* (Nees) Nees in DC. 818
—— *venosa* (Nees) Nees in DC. 818
Anacardiaceae 625
Anaptychia leucomelaeana 422
Andrews, Susyn & Upson, Tim: A new species of Lavandula L. (Lamiaceae) from Gran Canaria, Canary Islands 903
Andropogon nardus var. *marginatus* 632
—— *schirensis* 632
Angylocalyx oligophyllus 227
Annona senegalensis 632
Annonaceae 632
Anther dehiscence and circumscription of Miconia sect. Hypoxanthus (Melastomataceae), R. Goldenberg, S. P. Teixeira & A. B. Martins 195
Anthobaphes violacea 599
Anthreptes reichenowi 599, 600
Antiaris sp. 952
Antidesma 220
Aphelandra albadenia Rusby 823
Aphloia theiformis 978
Apiaceae 620, 632
Apluda mutica L. 245
Apocynaceae: Three new succulent species of Apocynaceae (Asclepiadoideae) from southern Africa, P. V. Bruyns 427
Apocynaceae 427, 612, 632
—— subfam. *Asclepiadoideae* 192, 723, 870
—— subfam. —— tribe *Asclepiadeae* 723, 867, 868, 878
—— subfam. —— tribe —— subtribe *Gonolobinae* 713
—— subfam. —— tribe —— subtribe *Metastelmatinae* 713
—— subfam. —— tribe —— subtribe *Oxypetalinae* 713
—— subfam. —— tribe *Ceropegieae* 429, 432, 878
—— subfam. —— tribe *Cynancheae* 723
—— subfam. —— tribe *Marsdenieae* 723, 867
—— subfam. —— tribe —— subtribe *Marsdeniinae* 723
—— subfam. *Periplocoideae* 867

Apocynaceae

Apocynaceae subtribe *Astephaninae* 868
Apocynum cordatum Thunb. 867
—— *lanceolatum* Thunb. 867
—— *lineare* L. f. 867, 868
—— *triflorum* L. f. 867, 879
Apolepsis Hassk. 18
—— *dispar* Hassk. 65, 149
—— *repanda* (Blume) Nees in DC. 56, 99
Araliaceae 192, 631, 632, 971
Araujia 713, 714
—— *plumosa* 714, 717
—— *stormiana* Morong 719
Arecaceae subfam. *Calamoideae* 371
—— tribe *Ancistrophyllinae* 373
—— tribe *Calaminae* 371
Artemisia afra 625, 632
Arthraxon lanceolatus (Roxb.) Hochst. 245
Arundinella ciliata (Roxb.) Nees 245
Asclepiadaceae 419, 723
Ascomycota 759
Ascophanus: A redisposition of Ascophanus tityrii Velen., S. Huhtinen & B. M. Spooner 749
Ascophanus Boud. 749
—— *tityrii* Velen. 750, 753
Asplenium aethiopicum 423
Astephanus: A revision of Astephanus (Apocynaceae), P. V. Bruyns 867
Astephanus R. Br. 868 – 869, *871, *872, 874 – 876, †*878, 879
—— *arenarius* Decne. in DC. 883
—— *badius* E. Mey. 883
—— *berteri* Spreng. 883
—— *carassensis* Malme 883
—— *cernuus* Decne. 883
—— *cordatus* (Thunb.) Schult. 883
—— *cordifolius* Phil. 883
—— *cubensis* Kunth in Humb., Bonpl. & Kunth 883
—— *dregei* (E. Mey.) D. Dietr. 883
—— *dumosus* (E. Mey.) D. Dietr. 883
—— *exaltatus* (Malme) Malme 883
—— *fallax* (Hicken) T. Mey. in Descole 883
—— *frutescens* E. Mey. 883
—— *fruticulosus* Speg. 883
—— *furlanii* Fontella 883
—— *fusculus* (C. Wright apud Sauvalle) Schltr. in Urb. 883
—— *gardneri* E. Fourn. in Mart. 883
—— *geminiflorus* Decne. 883
—— *grazielae* Fontella & Marquete 883
—— *grisebachii* M. Gomez 883
—— *hieronymi* (Lorentz) Malme 883
—— *lanceolatus* (Thunb.) Schult. 883
—— *leptophyllus* Schltr. in Urb. 883
—— *linearis* (L. f.) Schult. 884
—— *luteus* (E. Fourn.) Malme 884
—— *marginatus* Decne. in DC. 875, 879, 882
—— *massonii* Schult. 884
—— *mitophorus* Griseb. 884
—— *mucronatus* Schltdl. 884
—— *multiflorus* T. Mey. 884
—— *neglectus* Schltr. 875, 879, 880
—— *nigrescens* E. Fourn. 884
—— *ovalifolius* A. Rich. in Sagra 884
—— *ovatus* Decne. 884
—— *pauciflorus* E. Mey. 879, 880
—— *peruvianus* E. Fourn. 884
—— *piranii* Fontella 884

Astephanus

Astephanus pubescens Greenm. 884
—— *recurvatus* Klotzsch in Peters 884
—— *schimperi* Vatke 884
—— *schlecterianus* Urb. 884
—— *semirii* Fontella 884
—— *sprucei* (E. Fourn.) Fontella 884
—— *stenolobus* K. Schum. in Engl. 884
—— *streptocarpus* E. Fourn. 884
—— *triflorus* (L. f.) Schult. 868, 869, *871, *872, 873 – 875, *878, †879, 880, *881, 882, 885
—— *urceolatus* Griseb. 884
—— *utahensis* Engelm. 884
—— *zeyheri* 869 – 871, *872, 873 – 876, 879, †880, *882, 887
Asteraceae 623, 625, 632
Asystasia 104
—— *denticulata* Nees in Wall. 104
—— *panichanga* Nees in Wall. 682
Auriscalpium vulgare Gray 761

Baker, William J., Bayton, Ross P., Dransfield, John & Maturbongs, Rudi: A revision of the Calamus aruensis (Arecaceae) complex in New Guinea and the Pacific 351
Baker, William J. & Dransfield, John: An account of the Papuasian species of Calamus (Arecaceae) with paired fruit 371
Ballota nigra L. 919
Baphia keniensis Brummit 499
Barbeya oleoides 421
Basananthe aciphylla Thulin 926
Basidiomycota 759
Bayton, Ross P., Baker, William J., Dransfield, John & Maturbongs, Rudi: A revision of the Calamus aruensis (Arecaceae) complex in New Guinea and the Pacific 351
Beentje, H.: A new species of Senecio (Compositae: Senecioneae) from southern Tanzania 233
Beentje, Henk. *Reviewer*: Plant Resources of Tropical Africa. Basic list of species and commodity grouping, by C. H. Bosch, J. S. Siemonsma, R. H. M. J. Lemmens & L. P. A. Oyen (eds.) 510
Beentje, Henk. *Reviewer*: Plant Resources of Tropical Africa. Precursor, by L. P. A. Oyen & R. H. M. J. Lemmens (eds.) 510
Beentje, Henk & Labat, Jean-Noel: A new species of Psiadia (Compositae) from Mayotte 971
Beentje, Henk & Luke, Quentin: A new Vernonia (Compositae: Vernonieae) from the Udzungwa Mountains, Tanzania 977
Beloperone baenitzii H. Winkl. 818
—— *thunbergioides* Lindau 798
—— *viridissima* Rusby 818
Bennett, J. R. & Scotland, R. W.: A revision of Strobilanthes (Acanthaceae) in Java 1
Bennett, J. R., Wood, J. R. I. & Scotland, R. W.: Notes on Strobilanthes: the Sympagis group 131
Berberidaceae 209
Berberis holstii 421
Berg, Cassio van den & Costa, Nuno Maria de Sousa: A new species of Stylosanthes Sw. (Leguminosae-Papilionoideae) from Mato Grosso do Sul, Brazil 743
Berkheya sp. 632
Bersama sp. 632
Bignoniaceae 209, 632
Blaeria spicata subsp. *spicata* 895

Blepharis

Blepharis trifida Vollesen 926
—— sp. 625
Blyttia 724
Boehmeria 214, 216 – 218, 298, 318, 320 – 322
—— *burgeriana* Wilmot-Dear, Friis & Kravtsova †213, *215, *216, 217, 218
—— *cylindrica* 213, 218
—— *ramiflora* Jacq. 218
—— *repens* Wedd. 218
Bolbitis heudelotii (Bory ex Fee) Alston 734
Boletus abietinus Pers. in J. F. Gmelin †759
—— *auriformis* Bolton †760
—— *cellulosus* O. F. Müll. 760
—— *subtomentosus* L. 760
Bolton, James: Fungal specimens of James Bolton at Kew, P. J. Roberts & N. W. Legon 759
Bombax sp. 952

Book Reviews & Notices:-
Anne Ophelia Todd Dowden. A Blossom on the Bough. Catalogue of an exhibition 19 Sept. 2002 to 28 Feb. 2003, by James J. White & Lugene B. Bruno (Also received) 255
Catalogue of the vascular Plants of the Guaramacal National Park, Portuguesa & Trujillo States, Venezuela, by Laurence J. Dorr (chief ed.), Basil Stergios, Alan R. Smith & Nidia L. Cuello A. 253
The Eucalyptus. A natural and commercial history of the gum tree, by Robin W. Doughty 509
Komarovia Vol. 2, by D. V. Geltman & A. N. Sennikov (eds.) (Notice) 995
The Leguminosae of Madagascar, by D. J. Du Puy, J.-N. Labat, R. Rabevohitra, J.-F. Villiers, J. Bosser & J. Moat 174
Plant Ecophysiology, by Jean-Claude Leclerc (Also received) 511
Plant Genetic Resources of Legumes in the Mediterranean. Current Plant Science & Biotechnology in Agriculture Vol. 39, by Nigel Maxted & Sarita Jane Bennett (eds.) 242
Plant nutrition. Growth and Diagnosis, by R. Dris, F. H. Abdelaziz & S. M. Jain (eds.) (Also received) 511
Plant Physiology. Characteristics, Breeding and Genetics, by Ramdane Dris & Catherine Barry-Ryan (eds.) (Also received) 511
Plant Resources of Tropical Africa. Basic list of species and commodity grouping, by C. H. Bosch, J. S. Siemonsma, R. H. M. J. Lemmens & L. P. A. Oyen (eds.) 510
Plant Resources of Tropical Africa. Precursor, by L. P. A. Oyen & R. H. M. J. Lemmens (eds.) 510
Plants of Central Asia. Plant Collections from China and Mongolia. Volume 5 Verbenaceae-Scrophulariaceae, by V. I. Grubov, A. E. Matzenko & M. G. Pachomova (Notice) 767
Plants of Central Asia. Plant Collections from China and Mongolia. Volume 6. Equisetaceae-Butomaceae. Bibliography Supplement 1, by V. I. Grubov, L. I. Ivanina & O. V. Tscherneva (Notice) 767
Pollen and Spores: Morphology and Biology, by M. M. Harley, C. M. Morton & S. Blackmore (eds.) 254
PROSEA. Plant resources of South East Asia 14. Vegetable oils and fats, by H. A. M. van der Vossen & B. E. Umali (eds.) 236

Boraginaceae

Boraginaceae 500
Borchsenius, Finn & Clausager, Karen: The Marantaceae of Sabah, northern Borneo 647
Bosch, C. H., Siemonsma, J. S., Lemmens, R. H. M. J. & Oyen, L. P. A. (eds.): Plant Resources of Tropical Africa. Basic list of species and commodity grouping (Rev.) 510
Boscia sp. 625
Boswellia sacra Flück 496
Brachystegia 611, 620, 631, 632, 840, 849
—— *microphylla* 622
Brazil: Hyptis bahiensis Harley: a new species of Labiatae from Brazil, Raymond M. Harley 479
Bridelia micrantha 978
—— sp. 952
Brillantaisia lancifolia Lindau 734
British Isles: The occurrence of Geopora arenosa in the British Isles , Y.-J. Yao & B. M. Spooner 247
Brucea sp. 631
Brummitt, N. A. & Utteridge, T. M. A.: A second species of Distyliopsis (Hamamelidaceae) from New Guinea 727
Bruyns, P. V.: A revision of Astephanus (Apocynaceae) 867
Bruyns, P. V.: Three new succulent species of Apocynaceae (Asclepiadoideae) from southern Africa 427
Buchnera sp. 622
Burmanniaceae 939, 943, 947, 951
—— *Thismieae* 951
Burseraceae: A new species of Dacryodes (Burseraceae) from Zambia, J.-M. Onana & M. Cheek 219
Burseraceae 223, 632, 734
Buteraea Nees 1, 3, 83, 84
—— *foetidissima* (Kurz) Bremek. 88
—— *parishii* (C. B. Clarke) Bremek. 88
—— *parvifolia* Bremek. 88
—— *rufescens* (Roth) D. Dietr. 85
—— *ulmifolia* Nees in Wall. 85
Buxus hildebrandtii 417, 418, 421, 422
Bygrave, P., Pollard, B. J. & Cheek, M.: New Dorstenia (Moraceae) discoveries in western Cameroon 185
Byssomerulius corium (Pers.) Parmasto 760

Cactaceae 468, 530
Cadia 417
—— *purpurea* 421
Caesalpinia L. 175, 176, 180, 468
—— L. *sensu lato* 175
—— *balansae* Ulibarri 180
—— *dictamnoides* Chodat & Hassl. 179
—— —— f. *punctata* Chodat & Hassl. 179
—— *epunctata* (Vogel) Benth. in Martius 180
—— *hauthalii* Harms in Kuntze 179
—— *melanosticta* Spreng. 182
—— *modesta* Arechav. 180
—— *parviflora* Prain ex King 180
—— *pilosa* (Vogel) Benth. in Martius 180
—— *praecox* Ruiz & Pavon 471
—— *rubicunda* (Vogel) Benth. in Martius 177
—— —— var. *genuina* Hassl. 179
—— —— var. *hauthalii* (Harms) Hassl. 179
—— —— var. *intermedia* Hassl. 179
—— —— f. *subobtusata* Chodat & Hassl. 177
—— *stipularis* (Vogel) Benth. in Martius 177

Calamus

Calamus: An account of the Papuasian species of Calamus (Arecaceae) with paired fruit, John Dransfield & William J. Baker 371
Calamus: A revision of the Calamus aruensis (Arecaceae) complex in New Guinea and the Pacific, William J. Baker, Ross P. Bayton, John Dransfield & Rudi Maturbongs 351
Calamus L. 351, 353, 360, 371, *372, 373, 987
—— sect. *Phyllanthectus* Furtado 351
—— sect. *Podocephalus* Furtado 351
—— *adspersus* (Blume) Blume 353
—— *altiscandens* Burret 377, †379, 381
—— *aruensis* Becc. 351 – 354, †355, 358, 361, 364, 366
—— —— complex 351 – 354, 358, 361
—— *blumei* Becc. 351
—— *boniensis* Becc. ex K. Heyne 353
—— *caesius* Blume 351, 352
—— *dasyacanthus* W. J. Baker, Bayton, J. Dransf. & Maturb. 353, 354, †364, 366, *367, 368
—— *deerratus* G. Mann & H. Wendl. 987
—— *didymocarpus* Warb. ex Becc. 373
—— *fertilis* Becc. 373, †374, 375, *376, 377
—— *hollrungii* Becc. in Schumann & Hollrung 351, 353, 355, 358
—— *kandariensis* Becc. 353
—— *laceratus* Burret 382
—— *latisectus* Burret 353, 355, 358
—— *leiocaulis* Becc. ex K. Heyne 353
—— *macrochlamys* Becc. 373, †377, 379, 380
—— *macrospadix* Burret 377
—— *manan* Miq. 351, 352
—— *ornatus* Blume 351
—— *pachypus* W. J. Baker, Bayton, J. Dransf. & Maturb. 353, 354, †361, *363, 364, 368
—— *pachystachys* Warb. ex Becc. 373
—— *paspalanthus* Becc. 385
—— *paucijugus* Becc. ex K. Heyne 353
—— *pholidostachys* J. Dransf. & W. J. Baker †381, *383
—— *pogonoacanthus* Becc. ex H. Winkl. 358
—— *scipionum* Lour. 351
—— *sedens* J. Dransf. 351
—— *siamensis* Becc. 373
—— *steenisii* Furtado 382
—— *stipitatus* Burret 353, 358, 361
—— *subinermis* H. Wendl. ex Becc. 352
—— *unifarius* H. Wendl. 353
—— *vanuatuensis* Dowe 353, 358, 361
—— *vidalianus* Becc. 373
—— *viminalis* Willd. 373
—— *vinosus* Becc. 373
—— *vitiensis* Warb. ex Becc. 352 – 354, †358, 360, 361, 366, 368
—— *warburgii* K. Schum. 351
—— *zebrinus* Becc. 373, †382
Calathea sp. 647, 668
Calliandra 492
—— *alternans* Benth. 492
—— ? *geminata* (Wight & Arn.) Benth. 491, 492
Cameroon: Tremella arachispora: a new species from Mount Cameroon, P. J. Roberts 763
Campanulaceae 631
Canarium 223
Canna 648
Capparaceae 625
Capparis L. 468

Carissa

Carissa edulis 708
Caryopteris 486
Casselia Nees & Mart. 929, 937
—— *ilicifolia* Moldenke 930
Cassipourea sp. 631, 978
Catha edulis Forssk. 500
Cathormion 491
—— *umbellatum* (Vahl) Kosterm. 491
—— —— subsp. *umbellatum* 491
Cedrus 249, 251
Celastraceae 632, 834
—— subfam. *Celastroideae* 833
Celastrum rubrum 844
Celastrus concinnus N. E. Br. 834, 840, 844
—— *mossambicensis* Klotzsch in Peters 837
—— *nemorosus* Eckl. & Zeyh. 858
—— *ruber* Harv. 844
Celtis mildbraedii 952
Centradenia 199
Ceradenia: A new combination in the fern genus Ceradenia (Grammitidaceae), Paulo Henrique Labiak 991
Ceradenia 991, 993
—— subgen. *Ceradenia* 993
—— subgen. *Filipecten* 993
—— *albidula* (Baker) L. E. Bishop 993, 994
—— *capillaris* (Desv.) L. E. Bishop 993
—— *glaziovii* (Baker) Labiak †991, *992, 993, 994
—— *jungermannioides* (Klotzsch) L. E. Bishop 993
—— *pruinosa* (Maxon) L. E. Bishop 993
—— *spixiana* (Mart. ex Mett.) L. E. Bishop 993
—— *warmingii* (C. Chr.) Labiak 993, 994
Ceratolimon migiurtinum (Chiov.) M. B. Crespo & Lledo 926
Cercidium Tul. 470
—— *andicola* Griseb. 470
Ceropegia L. 427, 429, 430, 432
—— *africana* R. Br. 430
—— *ampliata* E. Mey. 428, 429
—— —— subsp. *madagascariensis* Lavranos 428
—— —— var. *oxyloba* H. Huber 428
—— *barbata* R. A. Dyer 429, 430, 432
—— *bowkeri* Harv. 429
—— *carnosa* E. Mey. 432
—— *connivens* R. A. Dyer 428
—— *filiformis* (Burch.) Schltr. 430, 432
—— *fimbriata* E. Mey. 427-430
—— *geniculata* R. A. Dyer 428
—— *leptophylla* Bruyns †430, *431, 432, 433
—— *namaquensis* Bruyns †427, 428, *429, 430
—— *occidentalis* R. A. Dyer 430
—— *occulta* R. A. Dyer 430
—— *racemosa* N. E. Br. 432
—— *zeyheri* Schltr. 427, 428, 429
Cerrena unicolor (Bull.) Murrill 760
Chaetochlamys lilloi J. L. Lotti 798
Chaetothylax tocantinus Nees in Mart. 789
Chalcomitra senegalensis 599
Chamaecrista Moench. 468
Championella 134
Cheek, M. & Onana, J.-M.: A new species of Dacryodes (Burseraceae) from Zambia 219
Cheek, M., Pollard, B. J. & Bygrave, P.: New Dorstenia (Moraceae) discoveries in western Cameroon 185
Cheek, M., Williams, S. A. & Etuge, M.: Kupea martinetugei, a new genus and species of Triuridaceae from western Cameroon 225

Cheek

Cheek, Martin: Kupeaeae, a new tribe of Triuridaceae from Africa 939
Cheek, Martin: A new species of Afrothismia (Burmanniaceae) from Kenya 951
Cheek, Martin: A new species of Ledermanniella (Podostemaceae) from western Cameroon 733
Cheek, Martin. *Reviewer*: Catalogue of the vascular Plants of the Guaramacal National Park, Portuguesa & Trujillo States, Venezuela, by Laurence J. Dorr (chief ed.), Basil Stergios, Alan R. Smith & Nidia L. Cuello A. 253
Cheek, Martin & Achoundong, G.: Two new species of Rinorea (Violaceae) from western Cameroon 957
Cheek, Martin & Hoffmann, Petra: Two new species of Phyllanthus (Euphorbiaceae) from southwest Cameroon 437
Cheek, Martin & Mackinder, Barbara: A new species of Newtonia (Leguminosae-Mimosoideae) from Cameroon 447
Cheek, Martin & Mwachala, Geoffrey: Hibiscus vitifolius subsp. lukei (Malvaceae), a new subspecies from Kenya 499
Chingyungia Ai 486, 487
—— *scutellarioides* Ai 486, 487
Chionanthus L. 257, †260, 971
—— *albidiflorus* Thwaites 260, †263
—— *axillaris* R. Br. var. *rostratus* K. K. N. Nair & K. P. Janardh 263
—— *brachythyrsus* (Merr.) P. S. Green 263
—— *burmanicus* Panigrahi 265
—— *calcicola* (Kerr) Kiew 263
—— *caudatus* (Collett & Hemsl.) Bahadur & R. C. Gaur 265
—— *courtallensis* Bedd. 260, †262
—— *decipiens* P. S. Green 260, †262
—— *dichotomus* Roxb. 263
—— *effusiflorus* F. Muell. 261
—— *helferi* Panigrahi 262
—— *henryae* H. L. Li 262
—— *henryanus* P. S. Green 260, †262
—— *insignis* Miq. 262
—— *intermedius* (Wight) F. Muell. 261
—— *leprocarpa* var. *courtallensis* (Bedd.) K. K. N. Nair & K. P. Janardh 262
—— *leprocarpus* Thwaites 263
—— *leucoclada* (Merr. & Chun) B. M. Miao 263
—— *linoceroides* (Wight) Bennet & Raizada 264
—— *macrophylla* var. *attenuata* (Wall. ex G. Don) K. K. N. Nair & K. P. Janardh 261
—— *macrophyllus* (Wall. ex G. Don) Blume 261
—— *mala-elengi* (Dennst.) P. S. Green 260, †264
—— —— subsp. *linocieroides* (Wight) P. S. Green †264
—— —— subsp. *mala-elengi* †264
—— —— subsp. *terniflorus* (Wall. ex G. Don) P. S. Green †264
—— *malabaricus* (Wall. ex G. Don) Bedd. 264
—— —— var. *albidiflora* (Thwaites) Panigrahi 263
—— *mannii* (Soler.) Stearn 449
—— *minutiflorus* Kurz 261
—— *montana sensu* Kurz 262
—— *palembanica* Miq. 261
—— *paniculata* K. K. N. Nair & K. P. Janardh 261
—— —— var. *roxburghii* (Spreng.) K. K. N. Nair & K. P. Janardh 261
—— *parkinsonii* (Hutch.) Bennet & Raizada 260, †263

Chionathus

Chionanthus pauciflorus (Wall. ex G. Don) Bennet & Raizada 261
—— —— var. *evolutior* (C. B. Clarke) K. K. N. Nair & K. P. Janardh 261
—— —— var. *palemabanica* (Miq.) Bennet & Raizada 261
—— *purpureus* Lam. 262
—— *ramiflorus* Roxb. 260, 262
—— —— var. *grandiflorus* B. M. Miao 261
—— —— var. *palembanicus* (Miq.) Panigrahi 261
—— —— var. *peninsularis* K. Ravik. & V. Lakshm. 261
—— *rostratus* Thwaites 263
—— *roxburghii* (Spreng.) S. K. Srivast. & S. L. Kapoor 261
—— —— var. *intermedius* (Wight) S. K. Srivast. & S. L. Kapoor 261
—— ? *smilacifolius* Wall. in Roxb. 273
—— *terniflorus* (Wall. ex G. Don) Griff. 265
—— —— var. *acuminatus* (Wall. ex DC.) Bahadur & R. C. Gaur 265
—— *virginica* L. 260
—— *wightii* (C. B. Clarke) Bahadur & R. C. Gaur 264
—— *zeylanicus* L. 260, †262
—— —— var. *dichotomus* (Roxb.) Bahadur & R. C. Gaur 263
—— —— var. *rostratus* (C. B. Clarke) Panigrahi 263
Chondrospermum Wall. ex G. Don 273
—— *smilacifolium* Wall. ex G. Don 273
Choristigma Kurtz ex H. Heger 714
—— *stuckertiana* Kurtz ex H. Heger 714, 718
Chrysobalanaceae 622
Chung, R. C. K.: New taxa and new combinations of Microcos (Tiliaceae) from Peninsular Malaysia and Borneo 329
Cinnyris chalybea 599
—— *talatala* 599
—— *venusta* 599, 600
Cladotrichium Vogel 175, 176
—— *epunctatum* Vogel 180
—— *pilosum* Vogel 180
—— —— var. β Vogel 180
—— *rubicundum* Vogel 176, 177
—— *stipulare* Vogel 177
Clausager, Karen & Borchsenius, Finn: The Marantaceae of Sabah, northern Borneo 647
Clutia abyssinica 421
Coffea 968
—— *eriantha* Gardn. 578
—— *jasminoides* Cham. 521, 524
—— *lanceolata* Cham. 535, 537
—— *magnoliifolia* Cham. 578, 580
—— *major* Cham. 521, 524
—— *minor* Cham. 564, 566
—— *nodosa* Cham. 561
—— *parquioides* Cham. 575
—— *parvifolia* Cham. 557
—— *viburnoides* (Cham.) Benth. 580
Cola cauliflora 227
—— *stelechantha* 978
—— *verticillata* (Thonn.) Stapf ex A. Chev. 443
Coleus albidus 420
—— *barbatus* (Andrews) Benth. in Wall. 914
—— *coerulescens* Gürke 914
—— *forskohlaei sensu* W. T. Aiton 915
—— *forskolaei* var. *adoensis* Briq. 914
—— *grandis* L. H. Cramer 915

Coleus

Coleus kilimandschari Gürke in Engl. 915
—— *penzigii* Wittm. 914
—— *speciosus* Baker f. 914
—— *vestitus* Baker 914
Collinsonia L. 485, 486
—— *australis* (C. Y. Wu & H. W. Li) Harley 486
—— *canadensis* L. 486
—— *elsholtzioides* (Merr.) Harley †486
—— *glandulosa* (C. Y. Wu) Harley †486
—— *japonica* (Miq.) Harley †486
—— *macrobracteata* (Masam.) Harley †486
—— *sinensis* (Diels) Harley †486
—— *szechuanensis* (C. Y. Wu) Harley †486
Coltricia perennis (L.) Murrill 760
Combretaceae 625, 632
Combretum molle 625, 632
—— *schumannii* 952
—— sp. 632
Commiphora 704, 915
—— sp. 632
Compositae: New species of Papuacalia (Compositae: Senecioneae). Contributions to the Flora of Mt Jaya, XI, D. J. N. Hind & R. J. Johns 389
Compositae: A new species of Senecio (Compositae: Senecioneae) from southern Tanzania, H. Beentje 233
Compositae 233, 389, 402
—— tribe *Lactuceae* 389
—— tribe *Senecioneae* 389
Conopharyngia sp. 632
Coode, M. J. E.: Elaeocarpus for Flora Malesiana: two new taxa in the Coloides subgroup of the Monocera group from New Guinea 453
Cope, T. A. & Longhi-Wagner, H. M.: Ctenium longiglume (Poaceae), a new species from Africa 229
Cope, Thomas A. & Ryves, Bruno: A new species of Styppeiochloa De Winter (Poaceae) from Angola 739
Cordia cf. *uncinulata* De Wild 500
Cordyla sp. 952
Coreopsis sp. 632
Costa, Nuno Maria de Sousa & Berg, Cassio van den: A new species of Stylosanthes Sw. (Leguminosae-Papilionoideae) from Mato Grosso do Sul, Brazil 743
Coursetia DC. 468
—— *cajamarcana* Lavin 468
Coussarea Aubl. 514, 515
Craniolaria L. 205, 210, 211
—— *unibracteata* Nees & Mart. 205, 207
—— sp. 206
Crassula lanceolata (Eckl. & Zeyh.) Endl. ex Walp. 434
—— *swaziensis* Schonl. 434
Crassulaceae 432
Crotalaria imperialis 631
—— *lachnophora* 606
Croton megalocarpus Hutch. 499
—— *sylvaticus* 952
Crypteroniaceae 199
Ctenium longiglume (Poaceae), a new species from Africa, H. M. Longhi-Wagner & T. A. Cope 229
Ctenium Panz. 229
—— *concinnum* Nees 229, 231
—— *longiglume* Kupicha ex Longhi-Wagner & Cope †229, *230, 231
Ctenopaepale Bremek. 18

Ctenopaepale

Ctenopaepale winckelii Bremek. 31
Ctenopteris glaziovii (Baker) Copel. 991
Cussonia bancoensis Aubrév. & Pellegr. 192
—— sp. 631, 632
Cyanchum fallax Hicken 883
Cyanomitra amethystina 599
—— *verticalis* 599
Cyathea 240
Cyatheaceae 240
Cymbopogon flexuosus (Nees ex Steud.) Wats. 245
Cynanchum 878
—— *africanum* (L.) Hoffmanns. 876
—— *ekmannii* Alain 884
—— *odoratum* Hook. & Arn. 716
—— *utahense* (Engelm.) Woodson 884
—— *wrightianum* Alain 884
Cynometra 971, 973
Cyperaceae 734
Cyperus rheophytorum Lye ined. 734
Cyphisia venusta Rizzini 798
Cyphostemma 503, 505
—— *crotalarioides* 505
—— *psammophilum* (Gilg & M. Brandt) Desc. 505
—— *rhodesiae* 505
—— *setosum* (Roxb.) Alston 503, 505
—— *uwanda* Verdc. †503, *504, 505
—— *wittei* (Staner) Wild & R. B. Drumm. 505
—— sp. *X* 505
Cyrtochloa: A new species and a new combination of Cyrtochloa (Poaceae-Bambusoideae) from the Philippines, Soejatmi Dransfield 981
Cyrtochloa 981, 982, 985
—— *fenexii* (Gamble) S. Dransf. 981, 982
—— *major* (Pilg.) S. Dransf. †982, *984, 985
—— *mindoroensis* S. Dransf. †981, 982, *983

Dacrycarpus compactus 391
Dacryodes 219, 223
—— *bampsiana* Pierlot 223
—— *edulis* (G. Don) H. J. Lam 219
—— *igaganga* Aubrév. & Pellegr. 219, 223
—— *klaineana* Pierre 223
—— *leonardiana* Pierlot 223
—— *trapnellii* Onana †219, 220, *221, 222, 223
—— *yangambiensis* Louis ex Troupin 223
Daldinia concentrica (Bolton) Ces. & De Not. 759
Daza Yomona, A., Hughes, C. E. & Hawkins, J. A.: A new Palo Verde (Parkinsonia-Leguminosae: Caesalpinioideae) from Peru 467
Dianthera L. 711
Dicliptera Juss. 139, 157, 703, 704, 711, 770, 799
—— *albicaulis* (S. Moore) S. Moore 703, 704
—— *minutiflora* Ensermu †703, 704, *705, *706, 707, 711
Didymodoxa 216 – 218
Dielsantha galeopsoides (Engl. & Diels) E. Wimm. 442
Dierama pendulum 620
Diflugossa Bremek. 18, 679
—— *capillipes* ([C. B. Clarke ex] Ridl.) Bremek. 693
—— *celebica* Bremek. 24, 26
—— *colorata* (Nees) Bremek. 22, 695
—— *crinita* (Nees) Bremek. 22, 695
—— *filiformis* (Blume) Bremek. 24
—— *glandulosa* Bremek. 686
—— *multiflora* (Ridl.) Bremek. 684
—— *ovatifolia* Bremek. 7, 694
—— *polybotrya* Bremek. 683

Diflugossa

Diflugossa pubescens Bremek. 699
—— *schweliensis* (W. W. Sm.) E. Hossain 700
Dinochloa Büse 981
—— *dielsiana* Pilg. 985
—— *major* Pilg. in Perkins 982, 985
Diogoa zenkeri 227
Dioscoreaceae 968
Diospyros 473
—— *cayennensis* A. DC. 477
—— *ierensis* Britton 473, 477
—— *montekupensis* 227
—— *paraensis* Sothers 473, †475, *476
—— *poeppigiana* A. DC. 473, 475
—— *praetermissa* Sandwith 476
—— *serrana* Sothers 473, †477
—— *vestita* Benoist 473, 475, 476
—— *whyteana* 978
—— *xavantina* Sothers †473, *474, 475
—— sp. 952
Diplolophium zambesiacum 620
Diplorhynchus sp. 632
Diplostigma 724
Dipterocarpaceae 622
Discopodium sp. 631
Dissotis sp. 611, 623
Distyliopsis: A second species of Distyliopsis (Hamamelidaceae) from New Guinea, N. A. Brummitt & T. M. A. Utteridge 727
Distyliopsis P. K. Endress 727, 728, 730, 731
—— *dunnii* (Hemsl.) P. K. Endress 727, 728, 730, 731
—— *lanata* N. A. Brummitt & Utteridge †728, *729, 730, 731
Distylium Sieb. & Zucc. 727, 728
Ditassa gardneri (E. Fourn.) Fontella 883
—— *grazielae* (Fontella & Marquete) Rapini 883
—— *semiri* (Fontella) Rapini 884
Dodonaea angustifolia 420
—— *viscosa* 418
Dombeya sp. 625
Donax Lour. 648, †650, 652, 653
—— *arundastrum* Lour. 650, 651
—— *canniformis* (G. Forst.) K. Schum. 650, †651, 652, 653, 660
—— *grandis* (Miq.) Ridl. 651, 652
Dorr, Laurence J. (chief ed.), Stergios, Basil, Smith, Alan R. & Cuello A., Nidia L.: Catalogue of the vascular Plants of the Guaramacal National Park, Portuguesa & Trujillo States, Venezuela (Rev.) 253
Dorstenia 185, 191
—— *astyanactis* Aké Assi †191, 192
—— *poinsettifolia* Engl. 185, 186, 190
—— —— var. *achoundongiana* Cheek & Bygrave †186, *187, 188, 191
—— —— var. *angularis* Hijman & C. C. Berg 186, 188, 191
—— —— var. *angusta* 191
—— —— var. *etugeana* B. J. Pollard †188, *189, 190, 191
—— —— var. *glabrescens* Hijman & C. C. Berg 185, 190
—— —— var. *grossodentata* Engl. 190
—— —— var. *librevillensis* (De Wild.) Hijman & C. C. Berg 188, 190, 191
—— —— var. *longicauda* 191
—— —— var. nov. *sensu* M. Cheek 186
—— —— var. *poinsettifolia* 190, 191

Dorstenia

Dorstenia poinsettifolia var. *staudtii* 190
—— —— var. *subdentata* Engl. 190
—— —— var. *undulata* Engl. 190
Doughty, Robin W.: Eucalyptus. A natural and commercial history of the gum tree (Rev.) 509
Dovyalis sp. 978
Dracaena ombet 417, 420
Dransfield, John & Baker, William J.: An account of the Papuasian species of Calamus (Arecaceae) with paired fruit 371
Dransfield, John, Baker, William J., Bayton, Ross P. & Maturbongs, Rudi: A revision of the Calamus aruensis (Arecaceae) complex in New Guinea and the Pacific 351
Dransfield, Soejatmi: A new species and a new combination of Cyrtochloa (Poaceae-Bambusoideae) from the Philippines 981
Drimia Jacq. 507
—— *sensu lato* 507
—— *congesta* (Wight) Stearn 507
—— —— Bullock 507, 508
—— *polyantha* (Blatt. & McCann) Stearn 508
—— *wightii* Lakshmin. †507
Dris, R., Abdelaziz, F. H. & Jain, S. M. (eds.): Plant nutrition. Growth and Diagnosis (Also received) 511
Dris, R. & Barry-Ryan, Catherine (eds.): Plant Physiology. Characteristics, Breeding and Genetics (Also received) 511
Drypetes 971
—— sp. 952
Du Puy, D. J., Labat, J.-N., Rabevohitra, R., Villiers, J.-F., Bosser, J. & Moat, J.: Leguminosae of Madagascar (Rev.) 174

East Asia: Strobilanthes: panicled species from East Asia, J. R. I. Wood & R. W. Scotland 679
Ebenaceae: New species of Diospyros (Ebenaceae) from Brazil, Cynthia A. Sothers 495
Echinopaepale Bremek. 18
—— *javanica* Bremek. 29
Echium decaisnei 905
Ekebergia sp. 631
Elaeis 963
Elaeocarpaceae 453
Elaeocarpus for Flora Malesiana: two new taxa in the Coloides subgroup of the Monocera group from New Guinea, M. J. E. Coode 453
Elaeocarpus 453, 454
—— sect. *Elaeocarpus* 455
—— group *Ganitrus-Fissipetalum* 455
—— group *Monocera* 453, 455
—— group *VI* 453
—— group *VID* 453
—— group *VIE* 453
—— *Coloides* subgroup 453
—— *coloides* Schltr. 453, 457, 458
—— —— subsp. *ridsdalei* Coode †457
—— *coodei* Weibel 453
—— *Debruynii* subgroup 453, 455
—— *fairchildii* Merr. 453, 458
—— *gardneri* Coode 453, †454, 455, *456
—— *miegei* Weibel 453 – 455
—— *rubescens* Weibel 453
—— *tariensis* Weibel 453, 454
—— *Verticillatae* subgroup 453
Eleusine jaegeri 632

Endopogon

Endopogon Nees 1, 2
—— *khasyanus* Nees in DC. 171
Endostemon 920 – 922
—— sect. *Diffusi* 921
—— sect. *Leucosphaeri* 921
—— sect. *Oblongi* 921
—— *obbiadensis* (Chiov.) M. Ashby 921
—— *obtusifolius* 920, 921
—— *racemosus* Ryding, A. J. Paton & Thulin 923, *924, †925, 926
—— *stenocaulis* (Hedge) Ryding, A. J. Paton & Thulin †923, *924, 925, 926
—— *tenuiflorus* (Benth.) M. Ashby 921
Ensermu, Kelbessa: Two new species of Acanthaceae from NE tropical Africa and Arabia 703
Entada 491
Ephedra: The genus Ephedra in NE Tropical Africa, H. Freitag & M. Maier-Stolte 415
Ephedra 415 – 417, 420, 422
—— *alte* C. A. Mey. 415, 423
—— *aphylla* Forssk. 415
—— *campylopoda* C. A. Mey. 422
—— *ciliata* Fisch. & C. A. Mey. 423
—— sp. aff. —— 422
—— *foeminea* Forssk. 415 – 417, †422, 423
—— *foliata* Boiss. in C. A. Mey. 415 – 417, 423, 424
—— *fragilis* 421
—— —— subsp. *campylopoda* (C. A. Mey.) Asch. & Graebn. 422
—— —— var. —— Stapf 422
—— *major* Host 417, 421, 422
—— —— subsp. *major* 421
—— —— subsp. *procera* 421
—— —— subsp. *suggarica* Maire 421
—— *pachyclada* Boiss. 417, 421
—— —— subsp. *sinaica* 421
—— *somalensis* Freitag & Maier-Stolte 416, †417, *418, *419, *420, 421, 422
—— subgroup *Leptocladae sensu* Freitag & Maier-Stolte 421
—— sp. 422
—— sp. nov. 416
Eremospatha (G. Mann & H. Wendl.) H. Wendl. 987, 988
—— *dransfieldii* Sunderland †988
—— *hookeri* 988
—— *laurentii* De Wild. 988
—— *macrocarpa* 988
Eremostachys 598
Erica sp. 623, 631
Ericaceae 199, 623, 631, 895
Eriospermum cecilii Baker 434
Eriotheca Schott & Endl. 468
Erythrococca sanjensis 978
Erythrophloeum africanum 622
Erythrospermum 971
Erythroxylum 973
Etuge, M., Cheek, M. & Williams, S. A.: Kupea martinetugei, a new genus and species of Triuridaceae from western Cameroon 225
Eucalyptus 532
Euclea racemosa 421
Euphorbia balsamifera 905
—— *canariensis* 905
—— *decliviticola* L. C. Leach 434
—— *mlanjeana* L. C. Leach 434
—— *obovalifolia* 631

Euphorbia

Euphorbia regis-jubae 905
—— *tirucalli* L. 434
Euphorbiaceae: Suregada celastroides Radcl.-Sm. & Petra Hoffm. (Euphorbiaceae), a new species from eastern Madagascar, Alan Radcliffe-Smith, Petra Hoffmann, Roland Ranaivojaona & Hélène Ralimanana 965
Euphorbiaceae: Two new species of Phyllanthus (Euphorbiaceae) from southwest Cameroon, Petra Hoffmann & Martin Cheek 437
Euphorbiaceae 209, 631, 632, 971
—— subfam. *Crotonoideae* tribe *Gelonieae* 965
—— subtribe *Flueggeinae* 442
Euryops arabicus 418, 421, 423
—— sp. 417
Eustegia 867

Fabaceae subfam. *Caesalpinoideae* 971
Faramea Aubl. 514, 515
Faurea sp. 620, 622, 632
Fedia 323
Ficus 16, 240
—— *dammaropsis* Diels 240
—— *vasta* 422
—— sp. 420
Flacourtiaceae 500, 612, 971
Forsskaoleae 216
Forsythia mala-elengi Dennst. 264
Four new species of Svitramia Cham. (Melastomataceae: Melastomeae) from Minas Gerais, Brazil, Rosana Romero & Angela Borges Martins 403
Fraxinus L. 258, 271
—— sect. *Sciadanthus* 273
—— *chinensis* Roxb. 272, †273
—— *excelsior* L. 271, 272, †273
—— *floribunda* Wall. in Roxb. 271, †272
—— —— var. *integerrima* Wenz. 272
—— *griffithii* C. B. Clarke in Hook. f. 271, †272
—— *hookeri* Wenz. 273
—— *micrantha* Lingelsh. 273
—— *moorcroftiana sensu* Brandis 273
—— —— Wall. ex DC. 273
—— *paxiana* var. *sikkimensis* Lingelsh. 272
—— *raibocarpa* Regel 271, †272
—— *sikkimensis* (Lingelsh.) Hand.-Mazz. 272
—— *suaveolens* W. W. Sm. 271, †272
—— *urophylla* Wall. ex DC. 272
—— *xanthoxyloides* Wall. ex DC. †272
Freitag, H. & Maier-Stolte, M.: The genus Ephedra in NE Tropical Africa 415
Friis, I., Kravtsova, T. I. & Wilmot-Dear, C. M.: Morphology and anatomy of fruits in Pouzolzia (Urticaceae) in relation to taxonomy 297
Friis, I., Wilmot-Dear, C. M. & Kravtsova, T. I.: A new species of Boehmeria (Urticaceae), B. burgeriana Wilmot-Dear, Friis & Kravtsova, endemic to Costa Rica 213
Fuerstia 921, 922
Fumariaceae 209
Funastrum 714
Fungal specimens of James Bolton at Kew , P. J. Roberts & N. W. Legon 759

Galium spurium subsp. *africanum* 420
Geltman, D. V. & Sennikov, A. N. (eds.): Komarovia Vol. 2 (Notice) 995
Geniosporum paludosum 623

Gentianaceae

Gentianaceae 209
The genus Ephedra in NE Tropical Africa, H. Freitag & M. Maier-Stolte 415
A geo-ecologically specialised new species of Adelobotrys (Melastomataceae: Merianieae) from Peruvian Amazonia, Leif Schulman 459
Geopora Harkn. 247, *250
—— *arenicola* (Lév.) Kers 249, *250, 251
—— *arenosa* (Fuckel) S. Ahmad 247, †*248, 249, *250, 251
—— *cervina* (Velen.) T. Schumach. *250, 251
—— *foliacea* (Schaeff.) S. Ahmad *250, 251
—— *sepulta* (Fr.) Korf. & Burds. 247, *250, 251
—— *sumneriana* (Cooke) M. Torre 249, *250, 251
—— *tenuis* (Fuckel) T. Schumach. *250, 251
Geraniaceae 623
Geranium sp. 623
Giulietti, A. M., Harley, R. M. & Santos, F. A. R. dos: Holoregmia Nees, a recently rediscovered genus of Martyniaceae from Bahia, Brazil 205
Gloneria André 514
—— *jasminiflora* Linden & André ex André 514, 577
Glossonema 713
Gnidia glauca 611, 612
—— sp. 631
Goethartia 321
Goldenberg, R., Teixeira, S. P. & Martins, A. B.: Anther dehiscence and circumscription of Miconia sect. Hypoxanthus (Melastomataceae) 195
Goldfussia Nees 1 – 4, 9, 18
—— *bibracteata* (Blume) Nees in DC. 3, 32
—— *colorata* Nees in Wall. 22, 695
—— *crinita* Nees in DC. 22, 695, 696
—— *cusia* Nees 3
—— *filiformis* (Blume) Nees 3, 24
—— *glomerata* Nees in Wall. 43
—— —— (Nees) T. Anderson var. *speciosa* Hook. 43
—— *kerrii* (Craib.) Bremek. 40
—— *kinabaluensis* Stapf 39
—— *lanuginosa* Bremek. 40, 43
—— *medongensis* H. W. Li in Wu Cheng-yih 700
—— *paniculata* (Blume) Nees 3, 46, 158
—— —— var. *alata* (Blume) Nees in DC. 46, 49, 158
—— *scoriarum* (W. W. Sm.) Bremek. 700
—— *speciosa* (Blume) Bremek. 39
Gonolobus Michx. 723
Goyder, D. J.: A new species of Tylophora (Apocynaceae: Asclepiadeae) from central Somalia 723
Goyder, D. J.: A synopsis of Morrenia Lindl. (Apocynaceae subfam. Asclepiadoideae) 713
Goydera 724
Grammitidaceae 991, 993
Green, P. S.: Studies in the genus Jasminum (Oleaceae), XVIII. Lectotypification of Nyctanthes undulata L. 296
Green, P. S.: Synopsis of the Oleaceae from the Indian Sub-Continent 257
Grewea ossea auct. non (Burret) P. S. Ashton 342
Grewia L. 329
—— *stylocarpa* auct. non Warb. 347
—— —— Warb. in Perkins 346
—— —— var. *longipetiolata* Merr. 347
—— *triflora* (Bojer) Walp. 346
—— sp. 1 342
Grisebachiella hieronymi Lorentz 883

Grubov

Grubov, V. I., Matzenko, A. E. & Pachomova, M. G.: Plants of Central Asia. Plant Collections from China and Mongolia. Volume 5 Verbenaceae-Scrophulariaceae (Notice) 767
Grubov, V. I., Ivanina, L. I. & Tscherneva, O. V.: Plants of Central Asia. Plant Collections from China and Mongolia. Volume 6. Equisetaceae-Butomaceae. Bibliography Supplement 1 (Notice) 767
Guettarda speciosa L. 294
Gutzlaffia glandulosa Lace 168
Gymapsis Bremek. 133
—— *polystachya* Bremek. 62, 155
Gymnosiphon sp. nov. 442
Gymnosporia: A taxonomic revision of the Gymnosporia mossambicensis group (Celastraceae: Celastroideae), M. Jordaan & A. E. van Wyk 833
Gymnosporia (Wight & Arn.) Hook. f. 833
—— *ambonensis* Loes. 846, 849
—— *annobonensis* Loes. & Mildbr. 849
—— *bachmannii* Loes. 836, 837, 853, †856, *857
—— *concinna* (N. E. Br.) Bews 840
—— *drummondii* (N. Robson & Sebsebe) Jordaan 836, 837, *838, *860, †861
—— *gracilis* Loes. 836, †846, 849
—— —— subsp. *gracilis* 835, †846, *847, 848
—— —— subsp. *usambarensis* Jordaan 835, †849, 850
—— *gurueensis* (N. Robson) Jordaan 835, 836, †850, 851, *852, 853
—— *harveyana* Loes. 834, 836, †840, 861
—— —— subsp. *harveyana* 835, †841, *842, 843
—— —— subsp. *stolzii* (N. Robson) Jordaan 835, *842, 843, †844
—— *livingstonei* Jordaan 835, 836, 851, 853, *854
—— *mossambicensis* (Klotzsch) Loes. 833 – 836, †837, *838, *839, 840
—— —— subsp. *mossambicensis* 851
—— *nemorosa* (Eckl. & Zeyh.) Szyszyl. 836, 837, 850, †856, *859
—— *rubra* (Harv.) Loes. 835, 836, *839, †844, 845
—— *schliebenii* Jordaan 836, 837, 845, *860, †861
—— *stolzii* 836
—— *vanwykii* (R. H. Archer) Jordaan 835, 836, 848, *852, †855
—— *vitiensis* (A. Gray) Seem. 833
—— *zanzibarica* Loes. 846, 849

Hagenia abyssinica 612, 631
Hamamelidaceae 727
Hamatocanthoscypha Svrček 751, 753
Hanceola Kudo 487, 921
Haplothismia Airy Shaw 951
Harley, M. M., Morton, C. M. & Blackmore, S. (eds.): Pollen and Spores: Morphology and Biology (Rev.) 254
Harley, R. M.: Validation of the name Lamioideae (Labiatae) 765
Harley, R. M., Giulietti, A. M. & Santos, F. A. R. dos: Holoregmia Nees, a recently rediscovered genus of Martyniaceae from Bahia, Brazil 205
Harley, Raymond M.: Hyptis bahiensis Harley: a new species of Labiatae from Brazil 479
Harley, Raymond M., Paton, A. J. & Ryding, O.: New synonymy and taxonomic changes in the Labiatae 485
Harvey, Yvette & Iwarsson, Mattias: Monograph of the genus Leonotis (Pers.) R. Br. (Lamiaceae) 597

Havardia

Havardia Small 491
Hawkins, J. A., Hughes, C. E. & Daza Yomona, A.: A new Palo Verde (Parkinsonia-Leguminosae: Caesalpinioideae) from Peru 467
Helianthemum triflorum Blanco 346
Helichrysum sp. 623, 632
Heliconia triumphans Linden ex Rodigas 666
Helotiaceae subfam. *Encoelioideae* 750
Helotiales 749
Hemigraphis Nees 1 – 5, 20, 119
—— *junghuhniana* (Miq.) Boerl. 24
Hemipogon carassensis (Malme) Rapini 883
—— *exaltatus* Malme 883
—— *furlanii* (Fontella) Rapini 883
—— *luteus* E. Fourn. 884
—— *piranii* (Fontella) Rapini 884
—— *sprucei* E. Fourn. 884
Hemisodon Raf. 601
—— *leonurus* (L.) Raf. 601, 603
Heteromorpha trifoliata 632
Hevea 963
Hibiscus vitifolius subsp. lukei (Malvaceae), a new subspecies from Kenya, Geoffrey Mwachala & Martin Cheek 499
Hibiscus vitifolius L. 499, 500
—— —— subsp. *lukei* Mwachala & Cheek †499, 500
—— —— subsp. *vitifolius* 499, 500
—— —— subsp. *vulgaris* 500
Hickenia Lillo 713, 714
—— *scalae* (Hicken) Lillo 714, 718
Hind, D. J. N. & Johns, R. J.: New species of Papuacalia (Compositae: Senecioneae). Contributions to the Flora of Mt Jaya, XI 389
Hoffmann, Petra & Cheek, Martin: Two new species of Phyllanthus (Euphorbiaceae) from southwest Cameroon 437
Hoffmann, Petra, Radcliffe-Smith, Alan, Ranaivojaona, Roland & Ralimanana, Hélène: Suregada celastroides Radcl.-Sm. & Petra Hoffm. (Euphorbiaceae), a new species from eastern Madagascar 965
Hoffmannseggia Cav. 175, 176
—— *burchellii* (DC.) Benth. ex Oliv. 182
—— —— subsp. *rubro-violacea* (Baker f.) Brummitt & J. Ross 182
—— *lactea* (Schinz) Schinz 181
—— *microphylla* 176
—— *parviflora* Micheli 180
—— *pearsonii* Phillips 181
—— *rubro-violacea* Baker f. 182
—— *sandersonii* (Harv.) Engl. 181
—— —— var. *lactea* Schinz 181
Holoregmia Nees, a recently rediscovered genus of Martyniaceae from Bahia, Brazil, R. M. Harley, A. M. Giulietti & F. A. R. dos Santos 205
Holoregmia Nees 206, 208 – 211
—— *viscida* Nees 205, 206, †207, 208, *209, 211
Homalium 500
Hoslundia 921
Hubbardia heptaneuron Bor 245
Huernia erectiloba L. C. Leach & Lavranos 434
Hughes, C. E., Daza Yomona, A. & Hawkins, J. A.: A new Palo Verde (Parkinsonia - Leguminosae: Caesalpinioideae) from Peru 467
Huhtinen, S. & Spooner, B. M.: A redisposition of Ascophanus tityrii Velen. 749
Humaria arenosa (Fuckel) Fuckel 248

Huysmans

Huysmans, Suzy *Reviewer*: Pollen and Spores: Morphology and Biology, by M. M. Harley, C. M. Morton & S. Blackmore (eds.) 254
Hyacinthaceae: A new name for Drimia congesta (Wight) Stearn (Hyacinthaceae), P. Lakshminarasimhan 507
Hyacinthaceae tribe *Scilleae* 507
Hyaloscypha Boud. 751
Hyaloscyphaceae Nannf. 750
Hydnum auriscalpium L. 761
Hymenaea sp. 952
Hymenoptera Pompilidae 716
Hypericaceae 611, 631
Hypericum conjungens 611
—— sp. 631
Hypharrhenia 611, 627
—— sp. 613
Hypocreopsis lichenoides (Tode) P. Karst. 759
Hypolytrum 736
Hyptis bahiensis Harley: a new species of Labiatae from Brazil, Raymond M. Harley 479
Hyptis 479
—— sect. *Hyptis* 479
—— sect. —— subsect. *Hyptis* 479
—— sect. *Plagiotis* Benth. 479
—— *bahiensis* Harley †479, *481, 482
—— *eriocauloides* Rich. 479
—— *lantanifolia* Poit. 479, 480, 482
—— *minutifolia* Griseb. 479, 482
—— *uliginosa* St.-Hil. ex Benth. 479
Hyrtanandra 298

Ibicella (Stapf) Van Eselt. 209, 210
—— *lutea* (Stapf) Van Eselt. 209
Ichthyostoma thulinii 704
Inga geminata Wight & Arn. 492
Iridaceae 209, 620
Iris 209
Isoberlinia 632
Isodon (Benth.) Spach 487
Iwarsson, Mattias & Harvey, Yvette: Monograph of the genus Leonotis (Pers.) R. Br. (Lamiaceae) 597
Ixeridium (A. Gray) Tzvelev 389

Jacobinia aequilabris (Nees) Lindau 818
—— *glabribracteata* Lindau 819
—— *tenuistachys* Rusby 818
—— *velutina* Lindau 818
Jasminum L. 257, 258, 274, 296
—— sect. *Alternifolia* DC. 274, †275
—— sect. *Jasminum* †274
—— sect. *Pinnatifolia* DC. 274
—— sect. *Primulina* P. S. Green 277
—— sect. *Trifoliolata* DC. 274, †277
—— sect. *Unifoliolata* DC. 274, †281
—— *acuminatum* Heyne ex Wall. 280
—— *adenophyllum* Wall. ex C. B. Clarke 282, †284
—— *affine* Wight 278
—— *amabile* H. Hara 282, †284
—— *amplexicaule* Buch.-Ham. ex G. Don 289
—— *anastomosans* Wall. ex DC. 291
—— —— var. *silhetensis* (Blume) C. B. Clarke in Hook. f. 291
—— *andamanicum* N. P. Balakr. & N. G. Nair 277, 278, †281
—— *angustifolium* (L.) Thunb. 283, 292, †293
—— —— subsp. *angustifolium* 283, †293

Jasminum

Jasminum angustifolium subsp. *sessiliflorum* (Vahl) P. S. Green 283, †293
—— —— var. *hirsutum* P. S. Green 284, †293
—— —— var. *laurifolium* (Roxb.) Ker-Gawl. 293
—— *anisophyllum* Kobuski 279
—— *arborescens* Roxb. 283, †290
—— —— var. *latifolium* (Roxb.) C. B. Clarke in Hook. f. 290
—— *arboreum* Roem. & Schult. 290
—— *aristatum* Wall. 289
—— *attenuatum* Roxb. ex G. Don 282, †286
—— —— Wall. var. *lanceolatum* Wall. 279
—— *aureum* D. Don 275
—— *auriculatum* Vahl 277, †278, 282, 283, 285
—— —— var. *glabrior* Haines 278
—— *azoricum* Burm. f. 280
—— —— var. *travancorense* (Gamble) M. Mohanan 280
—— *balakrishnanii* S. K. Srivast. 281
—— *beesianum* Forrest & Diels 274
—— *bignoniaceum* Wall. ex G. Don 275, †276
—— —— subsp. *bignoniaceum* 275, †276
—— —— subsp. *zeylanicum* P. S. Green 275, †277
—— *bracteatum sensu* Wallich 289
—— —— *sensu* Wight 288
—— *brevilobum* A. DC. in DC. 277, †278, 279
—— —— var. *mollissimum* Wall. ex DC. 278
—— *brevipetiolatum* Duthie ex Brandis 284, †294
—— *burmannianum* Blume 280
—— *calcicola* 278
—— *calophyllum* Wall. ex G. Don 278, †280
—— *cardiomorphum* P. S. Green 283, †292
—— *caudatum* Wall. ex Lindl. 278, 280, †281
—— *chrysanthemum* Roxb. 276
—— *coarctatum* Roxb. 283, †289
—— *congestum* Wall. 288
—— *cordifolium* Wall. ex G. Don 283, †289
—— —— subsp. *andamanicum* S. K. Srivast. & S. L. Kapoor 289, 290
—— *courtallense* Wight 280
—— *cuspidatum* Rottler & Willd. 283, †292
—— *decipiens* P. S. Green 283, †292
—— *decussatum* Wall. ex G. Don 290
—— *dichotomum* D. Don 285
—— *discolor* Franch. 279
—— *dispermum* Wall. 277, 278, †279
—— —— subsp. *dispermum* 277, †279
—— —— subsp. *forrestianum* (Kobuski) P. S. Green 277, †279
—— *duclouxii* (H. Lév.) Rehder 284, †294
—— *dumicolum* W. W. Sm. 294
—— *elongatum* (Bergius) Willd. 282, †288, 289, 290, 296
—— —— *sensu* Roxb. 290
—— *erectiflorum* A. DC. in DC. 289
—— *excellens* King & Prain ex Prain 275
—— *extensum* Wall. ex G. Don 282, †286
—— *farreri* Gilmour 276
—— *finlaysonianum* Wall. ex G. Don 291
—— *flexile* Vahl 278, †280, 281
—— —— var. *hookerianum* C. B. Clarke in Hook. f. 280
—— —— var. *ovatum* C. B. Clarke in Hook. f. 280, 281
—— —— var. *travancorense* Gamble 280
—— *forrestianum* Kobuski 279
—— *fragrans* Salisb. 287

Jasminum

Jasminum funale Decne. 286
—— *gardnerianum* Wight 286
—— *glabellum* Herb. Madras in Wallich 289
—— —— Wall. 287
—— *glabriusculum sensu* Thwaites 289
—— *glandulosum* Wall. ex G. Don 285
—— *grandiflorum* L. 274, †275
—— —— subsp. *floribundum* 275
—— —— subvar. *grandiflorum* 275
—— *guangxiense* B. M. Miao 292
—— *hamiltonii* G. Don 285
—— *harmandianum* Gagnep. 285
—— *heterophyllum* Roxb. 275
—— *heyneana* Wall. 288
—— *hirsutum* (L.) Wild. 294
—— —— Miq. ex C. B. Clarke 289
—— —— Wall. 289
—— *humile* L. 275, †276
—— —— var. *glabrum* (DC.) Kobuski 276
—— —— var. *humile* †276
—— —— var. *microphyllum* (L. C. Chia) P. S. Green †276
—— —— var. *pubigerum* (D. Don) Kitam. 276
—— —— var. *revolutum* (Sims) Stokes 276
—— —— f. *farreri* (Gilmour) P. S. Green in Bean 276
—— —— f. *microphyllum* L. C. Chia 276
—— —— f. *pubigerum* (D. Don) Grohmann 276
—— —— f. *wallichianum* (Lindl.) P. S. Green 276
—— *inodorum* Jacquem. ex Decne. in Jacquemont 276
—— *intermedium* Herb. Wight ex C. B. Clarke 286
—— *jacquemontii* Decne. in Jacquemont 276
—— *kaulbackii* P. S. Green 282, †285
—— *laetum* Wall. ex G. Don 290
—— *lanceofolium* Roxb. 279
—— *lanceolaria* Roxb. 277, †279
—— —— subsp. *lanceolaria* 279
—— —— subsp. *scortechinii* (King & Gamble) P. S. Green 279
—— *latifolium* Buch.-Ham. in D. Don 279
—— —— Roxb. 290
—— *latipetalum* C. B. Clarke in Hook. f. 282, †285
—— *laurifolium* Roxb. 284, †293
—— —— *sensu* Gamble 285
—— —— *sensu* Wallich 291
—— —— var. *brachylobum* Kurz 284, †294
—— —— var. *genuinum* Kurz 293
—— —— var. *laurifolium* 284, †293
—— —— var. *sublinearis* C. B. Clarke in Hook. f. 294
—— *leptophyllum* Rafiq 275, †277
—— *ligustrifolium* Wall. ex Bojer 292
—— *listeri* King ex Gage 281, †288
—— *lonchophyllum* Voigt 279
—— *malabaricum* Wight 282, †287
—— —— var. *lawii* C. B. Clarke 290
—— *matthewii* P. S. Green 282, †284
—— *mesnyi* Hance 277
—— *montanum* Roth 290
—— *multiflorum* (Burm. f.) Andrews 282, †288, 289, 296
—— —— var. *nicobaricum* Thoth. 291
—— *myrtophyllum* Zenker 292
—— *nepalense* Spreng. 282, †285
—— *nervosum* Lour. 283, 291
—— *nilagiricum* Hohen. ex C. B. Clarke in Hook. f. 278

Jasminum

Jasminum nobile C. B. Clarke 283, †292
—— —— subsp. *nobile* 292
—— *officinale* L. †274
—— —— f. *grandiflorum* (L.) Kobuski 275
—— *ovalifolium* Wight 278
—— *ovatum* Wall. 281
—— *pachyphyllum* Hemsl. 279
—— *paniculatum* Roxb. 279
—— *parkeri* Dunn 275, †276
—— *pericallianthum* Kobuski 282, †287
—— *perrottetianum* A. DC. in DC. 292
—— *polyanthum* Franch. 274, †275
—— *pubescens* Miq. ex C. B. Clarke 289
—— —— Wall. 287
—— *pubigerum* D. Don 276
—— —— var. *glabrum* DC. 276
—— *punctatum* Wall. ex G. Don 290
—— *punctulatum* Chiov. 274
—— *quinqueflorum* Heyne ex G. Don 287
—— —— var. *pubescens* (Wall.) G. Don 287
—— *quinquinerve* Lamb. ex D. Don 279
—— *reticulatum* Wall. ex G. Don 289
—— *revolutum* Sims 276
—— —— var. *peninsulare* A. DC. in DC. 277
—— *rigidum sensu* Thwaites 289
—— —— Zenker 292
—— —— var. *tetraphis* (Wight & Gardner) C. B. Clarke 292
—— *ritchiei* C. B. Clarke in Hook. f. 282, †286
—— —— var. *purpureum* Heyne ex C. B. Clarke in Hook. f. 286
—— *robustifolium* Kobuski 286
—— *rottlerianum* Wall. ex DC. 289
—— —— var. *glabrior* C. B. Clarke in Hook. f. 289
—— —— var. *thwaitesii* C. B. Clarke 289
—— *roxburghianum* Wall. ex C. B. Clarke in Hook. f. 290, 291
—— *sambac* (L.) Aiton 281, 282, †287, 296
—— —— var. *heyneanum* C. B. Clarke 281, †288
—— —— var. *sambac* 281, †287
—— *scalarinerve* Kobuski 279
—— *scandens* (Retz.) Vahl 283, †290
—— —— Griff. 289
—— —— var. *genuinum* Kurz 290
—— —— var. *laetum* (Wall. ex G. Don) Kurz 290
—— *seguinii* H. Lév. 286
—— *sempervirens* Kerr 286
—— *sessiliflorum* Vahl 293
—— *silhetense* Blume 291
—— *simonsii* A. K. Sinha. Maiti & G. S. Giri 279
—— *smalianum* Brandis 291
—— *stenopetalum* Lindl. 291
—— *strictum* Haines 294
—— *subglandulosum* Kurz 286
—— *subhumile* W. W. Sm. †275
—— *subtriplinerve* Blume 291
—— *syringifolium* Wall. ex G. Don 283, †291
—— *tetraphis* Wight & Gardner 292
—— *travancorense* Heyne ex Wall. 280
—— *trichotomum* Heyne ex Roth 282, 285, †286
—— —— var. *latifolium* Heyne ex Roth 286, 290
—— *triflorum* (Burm. f.) Pers. 293
—— —— Heyne 292
—— *trifoliatum* (Lam.) Pers. 278
—— *trinerve sensu* Roxb. 291
—— *trineuron* Kobuski 291
—— *undulata* (L.) Willd. 287, 296

Jasminum

Jasminum undulatum sensu Ker Gawl. 289
—— *unifoliolatum* N. P. Balakr. & N. G. Nair 281
—— *velutinum* Kobuski 290
—— *vimineum* (Retz.) Willd. 293
—— *wallichianum* Lindl. 276
—— *wangii* Kobuski 286
—— *wengeri* C. E. C. Fisch. 277, †278
—— *wightii* C. B. Clarke in Hook. f. 286
—— *zambac* Roxb. 287

Johns, R. J. & Hind, D. J. N.: New species of Papuacalia (Compositae: Senecioneae). Contributions to the Flora of Mt Jaya, XI 389

Jordaan, M. & Wyk, A. E. van: A taxonomic revision of the Gymnosporia mossambicensis group (Celastraceae: Celastroideae) 833

Julbernardia sp. 952

Juniperus 417, 422, 631, 632
—— *procera* 417, 418, 420, 422

Jury, Stephen L. & Upson, Tim M.: The recircumscription and lectotypification of Lavandula antineae Maire and description of a new species L. saharica Upson & Jury (Lamiaceae) 889

Justicia: Notes on the genus Justicia in Bolivia, D. C. Wasshausen & J. R. I. Wood 769

Justicia L. 139, 711, 736, 769, 770, *777, *790, 803, 804, 811, 820, 829
—— sect. *Chaetothylax* (Nees) V. A. W. Graham †787, 792, 794, 795, 828
—— sect. *Dianthera* (L.) V. A. W. Graham 770, 771, 774
—— sect. —— subsect. *Saglorithys* (Rizzini) V. A. W. Graham †770, 774, 777 – 779, 782, 785, 786
—— sect. *Orthotactus* (Nees) V. A. W. Graham 818
—— sect. *Plagiacanthus* (Nees) V. A. W. Graham 801
—— sect. *Sarotheca* (Nees) Benth. 804, 808, 809, 813, 815
—— sect. *Simonisia* (Nees) V. A. W. Graham †795, 799, 801
—— *adhaerens* Wassh. & J. R. I. Wood †809, *810, *811, 829
—— *aequilabris* (Nees) Lindau in Engl. & Prantl 790, †818, *819
—— —— subsp. *aequilabris* †*819, 820
—— —— subsp. *glabribracteata* (Lindau) Wassh. & J. R. I. Wood †*819
—— —— subsp. *riograndina* Wassh. & J. R. I. Wood *819, †820
—— *albadenia* (Rusby) Wassh. & J. R. I. Wood †823, *824, 829
—— *allocota* Leonard 798
—— *aphelandroides* (Mildbr.) Wassh. 820, 821
—— *arcuata* Wassh. & J. R. I. Wood 811, †815, *816, 817
—— *baenitzii* (H. Winkl.) C. Ezcurra 818
—— *beckii* Wassh. & J. R. I. Wood 794, *811, †820, 821, *822, 829
—— *boliviana* Rusby 769, †771, 772, 774, 775, 780
—— —— subsp. *boliviana* 771, †772, 774, 775
—— —— subsp. *subintegrifolia* (Rusby) Wassh. & J. R. I. Wood 771, †773
—— *boliviensis* (Bremek.) V. A. W. Graham 770, 815, 817
—— *breviflora* (Nees) Rusby 772
—— *calycina* (Nees) V. A. W. Graham 801, 804
—— *chapadensis* S. Moore 792 – 795
—— *chapareensis* Wassh. & J. R. I. Wood 771, †774, 775, *776, *777, 829

Justicia

Justicia chuquisacensis Wassh. & J. R. I. Wood *783, *784, †785, 786, 829
—— *comapuanensis* Dubs 771
—— *corumbensis* 799
—— *cuspidulata* (Nees) Wassh. 771, 779, 780, *781
—— *cyanantha* Lindau 772
—— *dryadum* Wassh. & J. R. I. Wood *803, †813, *814, 815, 829
—— *dubiosa* 828
—— *dumetorum* Morong 769, 795, 796, *797, 798
—— *fittonoides* Lindau 825, 828
—— *flavidiflora* Lindau 813
—— *fuchsiifolia* Leonard 804
—— *genderussa* Burm. f. 711
—— *glabribracteata* V. A. W. Graham 819
—— *glutinosa* (Bremek.) V. A. W. Graham 790, 799, 809
—— *goudotii* V. A. W. Graham 770, 787, *788, 789, 790
—— *grisea* 704
—— *israelvargasii* Wassh. & J. R. I. Wood *803, *806, †808, 829
—— *kessleri* Wassh. & J. R. I. Wood *783, †787, *788, 789, 829
—— *kuntzei* Lindau 804, †805, 809
—— —— subsp. *kuntzei* †805, *806
—— —— subsp. *robusta* (Rusby) Wassh. & J. R. I. Wood *806, †807, 808
—— *lepida* (Nees) Wassh. 809
—— *liebmannii* V. A. W. Graham 804
—— *lilloi* (J. L. Lotti) C. Ezcurra in Cabrera 798, 799
—— *lineolata* (Ruiz & Pav.) Nees 811, *812, 813, 815
—— *lucida* Andr. 804
—— *lutensis* Wassh. & J. R. I. Wood †782, *783, *784, 785, 798, 829
—— *megalantha* Wassh. & J. R. I. Wood †801, *802, *803, 804
—— *mesetarum* Wassh. & J. R. I. Wood 770, *790, †792, *793, 794, 795
—— *miguelii* V. A. W. Graham 799
—— *monopleurantha* (Lindau) Wassh. 823, *824
—— *nematocalix* Lindau 805, 807
—— *nyassana* 978
—— *oblonga* (Nees) Lindau 785, 786
—— *obovata* Wassh. & J. R. I. Wood *811, †825, 826, *827, 828
—— *odora* 704
—— *oranensis* N. de Marco & Teresa Ruiz 794
—— *pauciflora* Vahl 771
—— *pilosa* (Nees) Lindau 825
—— *pluriformis* *781, *783, †786, 787, 829
—— *polygaloides* (S. Moore) Lindau 782, 783, 785 – 787
—— *polygonoides* 769, 772
—— *praetermissa* Wassh. & J. R. I. Wood 771, *777, †779, 780, *781, 782
—— *ramulosa* (Morong) C. Ezcurra 770, 792, *793, 795
—— *rauhii* Wassh. 820, 821
—— *reisensis* Rusby 772
—— *rhomboidea* Wassh. & J. R. I. Wood *827, †828
—— *robusta* Rusby 805, 807
—— *rusbyana* Lindau 771, *776, 777 – 780
—— *rusbyi* (Lindau) V. A. W. Graham 770
—— *scheidweileri* V. A. W. Graham 804
—— *schomburgkiana* (Nees) V. A. W. Graham 798
—— *sphaerosperma* Vahl 769, 795, 798

Justicia

Justicia squalida Wassh. & J. R. I. Wood 785, *790, †795, 796, *797, 798, 829
—— *steinbachiorum* Wassh. & J. R. I. Wood 771, *776, †*777, 778, 779, 829
—— *strobilacea* (Nees) Lindau in Engl. & Prantl 818
—— *subintegrifolia* Rusby 773
—— *tenuistachys* (Rusby) Wassh. & J. R. I. Wood †818
—— *thunbergioides* (Lindau) Leonard 770, †798, 799
—— *tocantina* (Nees) V. A. W. Graham 787, 789, 790
—— —— subsp. *andina* Wassh. & J. R. I. Wood *790, †791, 792
—— —— subsp. *tocantina* †791, 792
—— *tweediana* (Nees) Griseb. 801
—— *umbricola* Wassh. & J. R. I. Wood *790, 795, †799, *800, 801, 829
—— *velutina* (Lindau) Lindau ex Hassl. 818
—— *venosa* (Nees) V. A. W. Graham 818
—— *venusta* (Rizzini) V. A. W. Graham 798
—— *vernalis* Wassh. & J. R. I. Wood 771, *776, *777, †778, 779
—— *yhuensis* Lindau 779, *781, 782
—— *yungensis* Wassh. & J. R. I. Wood *803, †811, *812, 813, 815, 829
—— *yurimaguensis* 828
—— *yuyoensis* Wassh. & J. R. I. Wood *816, †825, 826, 829

Kalanchoe 434
—— *elisae* A. Berger 434
Keiskea Miq. 485, 486, 488
—— *australis* C. Y. Wu & H. W. Li 486
—— *elsholtzioides* Merr. 486
—— *glandulosa* C. Y. Wu 486
—— *japonica* Miq. 486
—— *macrobracteata* Masam. 486
—— *sinensis* Diels 486
—— *szechuanensis* C. Y. Wu 486
Kiggelaria africana 612
Kihansia 944, 947, 948
—— *lovettii* Cheek *942, †943, 944, *945, *946, 947, 948
Kite, Geoff. *Reviewer*: PROSEA. Plant resources of South East Asia 14. Vegetable oils and fats, by H. A. M. van der Vossen & B. E. Umali (eds.) 236
Kotschya recurvifolia 611, 625
Kravtsova, T. I., Friis, I. & Wilmot-Dear, C. M.: Morphology and anatomy of fruits in Pouzolzia (Urticaceae) in relation to taxonomy 297
Kravtsova, T. I., Wilmot-Dear, C. M. & Friis, I.: A new species of Boehmeria (Urticaceae), B. burgeriana Wilmot-Dear, Friis & Kravtsova, endemic to Costa Rica 213
Kupea martinetugei, a new genus and species of Triuridaceae from western Cameroon, M. Cheek, S. A. Williams & M. Etuge 225
Kupea Cheek & S. A. Williams 225, 227, 228, 939, 943, 948
—— *jonii* Cheek †940, 941, *942, 944, *946, 947, 948
—— *martinetugei* Cheek & S. A. Williams †225, *226, 940, *945, 947 – 949
Kupeaeae, a new tribe of Triuridaceae from Africa, Martin Cheek 939

Labat, Jean-Noel & Beentje, Henk: A new species of Psiadia (Compositae) from Mayotte 971
Labiak, Paulo Henrique: A new combination in the fern genus Ceradenia (Grammitidaceae) 991

Labiatae

Labiatae: New synonymy and taxonomic changes in the Labiatae, Raymond M. Harley, A. J. Paton & O. Ryding 485
Labiatae: Validation of the name Lamioideae (Labiatae), R. M. Harley 765
Labiatae 485, 486, 765, 936
—— subfam. *Lamioideae* Harley 485, 765
—— subfam. *Nepetoideae* 765, 920
—— subfam. —— tribe *Elsholtzieae* 485
—— subfam. —— tribe *Ocimeae* 485, 920, 921
—— subfam. *Ocimoideae* tribe *Hanceoleae* C. Y. Wu 487
—— subfam. —— tribe —— C. Y. Wu subtribe *Hanceolinae* 487
—— subfam. —— tribe *Ocimeae* 487
—— subfam. —— tribe —— subtribe *Hanceolinae* (C. Y. Wu) A. J. Paton, Ryding & Harley †487
—— subfam. —— tribe —— subtribe *Hyptidinae* Endl. 487, 921
—— subfam. —— tribe —— subtribe *Lavandulinae* Endl. 487, 920
—— subfam. —— tribe —— subtribe *Ociminae* (Dumort.) J. A. Schmidt 487
—— subfam. —— tribe —— subtribe *Plectranthinae* Endl. 487
—— subfam. *Stachyoideae* (Dumort.) Luerss. 765
—— tribe *Pogostemoneae* 485
Labramia mayottensis Labat, M. Pignal & O. Pascal 971
Lacandonia 227, 940
Laccosperma (G. Mann & H. Wendl.) H. Wendl. 987, 989
—— *korupensis* Sunderland †989
—— *laeve* 989
—— *opacum* (G. Mann & H. Wendl.) Drude 989
Lachnea arenosa (Fuckel) Sacc. 248
Lakshminarasimhan, P.: A new name for Drimia congesta (Wight) Stearn (Hyacinthaceae) 507
Lamiacanthus Kuntze 4, 18, 117, 133
—— *gracilis* Bremek. in sched. 142
—— *renschiae* Bremek. 117, 142
—— *viscosus* Kuntze 4, 70, 117, 145
Lamiaceae 620, 623, 626, 632, 765, 921, 934
—— subfam. *Lamioideae* 598, 919
—— subfam. *Nepetoideae* tribe *Mentheae* 919, 921
—— subfam. —— tribe *Ocimeae* 919
—— subfam. *Ocimoideae* 919
—— subfam. *Stachyoideae* 919
—— subfam. —— tribe *Lamiinae* 598
—— tribe *Lavanduleae* 920
—— tribe *Stachydeae* 598
—— tribe —— subtribe *Lamieae* 598
Lamiales 929, 934, 936, 937
Lamium L. 765
Lantana sp. 632
Larrea Cav. 175
—— Ortega 175
Larsenia Bremek. 83, 89, 94, 97
—— *decumbens* Bremek. 94, 97
Lasiocoryis Benth. 598
Launea arborescens 905
Lavandula: A new species of Lavandula L. (Lamiaceae) from Gran Canaria, Canary Islands , Tim Upson & Susyn Andrews 903
Lavandula: The recircumscription and lectotypification of Lavandula antineae Maire and description of a new species L. saharica Upson & Jury (Lamiaceae), Tim M. Upson & Stephen L. Jury 889

Lavandula

Lavandula L. 889, 899, 900, 903 – 905, *906, 920 – 922
—— sect. *Pterostoechas* Ging. 889, 890, 903
—— *antineae* Maire 889, 890, †891, 892 – 895, 897, *898, 899, 900
—— —— subsp. *antineae* 890, 892, †893, 894, 896, 897, *898
—— —— subsp. *marrana* Upson & Jury 892, †895, 897, *898
—— —— subsp. *tibestica* Upson & Jury 892, †894, 896, 897, *898
—— —— f. *platynota* Maire 889, 890, 893, 894
—— —— f. *stenonota* Maire 889, 890, 896, 898, 899
—— —— f. *typica* Maire 889, 890, 892 – 894
—— *aristibracteata* 421
—— *bramwellii* Upson & S. Andrews †904, 905, *906
—— *buchii* Webb & Berthol. 903
—— *canariensis* Mill. 903 – 905, *906
—— *coronopifolia* Poir. 889, 892, 899, 900
—— *maroccana* Murb. 899
—— *minutolii* Bolle 903, 906
—— —— var. *minutolii* 903 – 905, *906
—— —— var. *tenuipinna* Svent. 903
—— *multifida* L. 890, 899
—— *pinnata* L. f. 903
—— *pubescens* Decne. 890
—— —— subsp. *antineae* (Maire) Miré & Quézel in Quézel & Santa 892, 893
—— *saharica* Upson & Jury 890, 891, 893, †896, 897, *898, 899, 900
—— *stricta* 892
—— *tenuisecta* Coss. ex Ball 899
—— sp. nov. 906
Lecaniodiscus sp. 952
Leclerc, Jean-Claude: Plant Ecophysiology (Also received) 511
Ledermanniella: A new species of Ledermanniella (Podostemaceae) from western Cameroon, Martin Cheek 733
Ledermanniella Engl. 733, 736
—— *keayi* (G. Taylor) C. Cusset 733, 736
—— *letouzeyi* C. Cusset 734
—— *onanai* Cheek †733, 734, *735, 736
Legon, N. W. & Roberts, P. J.: Fungal specimens of James Bolton at Kew 759
Leguminosae: New combinations in Pomaria (Caesalpinioideae: Leguminosae), B. B. Simpson & G. P. Lewis 175
Leguminosae: A new Palo Verde (Parkinsonia - Leguminosae: Caesalpinioideae) from Peru, C. E. Hughes, A. Daza Yomona & J. A. Hawkins 467
Leguminosae: A new species of Acacia (Leguminosae-Mimosoideae) from Somalia, Mats Thulin 495
Leguminosae: A new species of Newtonia (Leguminosae-Mimosoideae) from Cameroon, Barbara Mackinder & Martin Cheek 447
Leguminosae: Thailentadopsis Kostermans (Leguminosae: Mimosoideae: Ingeae) resurrected, G. P. Lewis & B. D. Schrire 491
Leguminosae 606, 611, 613, 622, 625, 627, 632
—— subfam. *Caesalpinioideae* 947
—— subfam. *Mimosoideae* tribe *Ingeae* 491
Leonotis: Monograph of the genus Leonotis (Pers.) R. Br. (Lamiaceae), Mattias Iwarsson & Yvette Harvey 597
Leonotis (Pers.) R. Br. 597 – 599, †600, 605

Leonotis

Leonotis africana (P. Beauv.) Briq. in Engler & Prantl 636
—— —— (P. Beauv.) T. & H. Durand 636
—— *bachmannii* Gürke 629
—— *bequaertii* De Wild. 613
—— *brevipes* Skan in Thiselton-Dyer 629
—— *capensis* Raf. 625
—— *caribea* Raf. 637
—— *decadonta* Gürke 598, †608
—— —— var. *decadonta* 602, 604, †609, 613, 615
—— —— var. *porotoensis* Iwarsson & Y. B. Harv. 602, 604, *610, †612, 613, 615
—— —— var. *vestita* (Briq.) Iwarsson & Y. B. Harv. 598, 602, 604 – 606, †613
—— *dinteri* Briq. 629
—— *dubia* E. Mey. ex Benth. 625
—— *dysophylla* Benth in Meyer 627, 628, 630
—— *elliotii* Baker in Thiselton-Dyer 629
—— *engleri* Gürke 629
—— *galpinii* Skan in Thiselton-Dyer 630
—— *goetzei* Gürke 602, 608, 618 – 620, †622
—— *grandis* Iwarsson & Y. B. Harv. 601, †605, 606, *607, 608, 612, 615, 623
—— *hereroensis* Briq. 629
—— *hirtiflora* Benth. in DC. 625
—— *intermedia* Lindl. 628, 630
—— —— var. *natalensis* Skan in Thiselton-Dyer 630
—— *kagerensis* Lebrun & Touss. 630
—— *kwebensis* N. E. Br. 634
—— *latifolia* Gürke 629
—— *laxifolia* MacOwan 628
—— —— f. *pilosa* Gürke 629
—— *leonitis* R. Br. 601
—— —— var. *hirtiflora* (Benth.) Skan in Thiselton-Dyer 625
—— *leonurus* (L.) R. Br. 597, 598, 601, †603, 604, 605, 608, 609, 612, 613, 615
—— —— var. *albiflora* Benth. in Meyer 603
—— —— auct. non (L.) R. Br. var. *vestita* Briq. 613
—— *longidens* S. Moore 629
—— *malacophylla* Gürke 629
—— *melleri* Baker in Thiselton-Dyer 629
—— *microphylla* Skan in Thiselton-Dyer 627
—— *mollis* Benth. in Meyer 625
—— —— var. *albiflora* Skan in Thiselton-Dyer 630
—— *mollissima* Gürke 628, 630
—— —— var. *carnea* Gürke 629
—— —— var. *fulva* Gürke 629
—— *myricifolia* Iwarsson & Y. B. Harv. 602, 608, †615, *617, 618 – 620
—— *myrothamnifolia* Iwarsson & Y. B. Harv. 602, 608, 613, 618, †619, 620, *621
—— *nepetifolia* (L.) R. Br. 600, 601, †632, 634
—— —— var. *africana* (P. Beauv.) J. K. Morton 597, 599, 602, 634, 635, †636
—— —— var. *nepetifolia* 597, 599, 602, †634, 635, 636
—— *newtoni* Briq. 629
—— *nyikensis* Iwarsson 618
—— *ocymifolia* (Burm. f.) Iwarsson 597, 623
—— —— var. *ocymifolia* 598, 601, 602, †624, 626, 627, 630
—— —— var. *raineriana* (Vis.) Iwarsson 597, 599, 602, 620, 625, 626, †628
—— —— var. *schinzii* (Gürke) Iwarsson 598, 602, 618, 626, †627
—— *ovata* Spreng. 625
—— *pallida* (Schumach. & Thonn.) Benth. 636

Leonotis

Leonotis parvifolia Benth. 625
—— *pole-evansii* Hutch. 602, 608, 615, 618, 619, †620
—— *raineriana* Vis. 628
—— —— var. *rugosa* (Benth.) Cufod. 628
—— *randii* S. Moore 627
—— *rugosa* Benth. in DC. 628
—— *schinzii* Gürke 627
—— *spectabilis* S. Moore 630
—— *tuberosa* (L.) Hoffmanns. 637
—— *urticifolia* Briq. 629
—— *velutina* Fenzl 628, 630
—— —— var. *angustifolia* Chiov. in Senni 630
—— —— var. *raineriana* (Vis.) Benth. in DC. 628
—— —— var. *rugosa* (Benth.) Baker in Thiselton-Dyer 628
—— *westae* Skan in Thiselton-Dyer 630
Leonurus africanus Mill. 603
—— *capitis Bonae Spei* Breyne 603
—— *globosus* Moench 633
—— *grandiflorus* Moench 603
—— *nepetaefolia* (L.) Mill. 633
—— *perennis Africanus* Herm. 603
Lepidagathis Willd. sect. *Apolepsis* Blume 18
—— *repanda* Blume 56, 99
Leptacanthus Nees 1 – 3, 679
Leptonychia sp. 952
Leucas R. Br. 598, 599
—— *sensu* Benth. 598
—— sect. *Lasiocorys* 598, 599
—— *martinicensis* (Jacq.) R. Br. 599, 637
Leucosidea sericea 632
Lewis, G. P. & Schrire, B. D.: Thailentadopsis Kostermans (Leguminosae: Mimosoideae: Ingeae) resurrected 491
Lewis, G. P. & Simpson, B. B.: New combinations in Pomaria (Caesalpinioideae: Leguminosae) 175
Lichen tumidulus Sm. 761
Ligustrum L. 257, †266, 267
—— *bracteolatum* D. Don 269
—— *candolleanum* Blume 268
—— *ceylanicum* Decne. 267
—— *compactum* (Wall. ex G. Don) Hook. f. & Thomson ex Brandis 266, †268
—— *confusum* Decne. 267, 268, †269
—— —— var. *macrocarpum* C. B. Clarke in Hook. f. 269
—— *decaisnei* C. B. Clarke 268
—— —— var. *beddomei* Gamble 270
—— —— var. *microphyllum* C. B. Clarke 268
—— *delavayanum* Har. 270
—— *gamblei* Ramamoorthy in Saldanha & Nicolson 268
—— *glomeratum* Blume 266
—— *hookeri* Decne. 269
—— *indicum sensu* Hara 269
—— *kumaonense* Decne. 269
—— *lindleyi* (Wall. ex G. Don) P. S. Green 267, †270
—— *lucidum* Aiton 266
—— *massalongianum* Vis. 270
—— —— var. *lindleyi* (Wall. ex G. Don) C. B. Clarke in Hook. f. 270
—— *microphyllum* Bedd. 267, †270
—— —— Wight 268
—— *minii* Raizada in Raizada & Saxena 268
—— *myrsinites* Decne. 270
—— *neilgherrense sensu* Decne. 268
—— —— Wight 268

Ligustrum

Ligustrum neilgherrense var. *obovata* (Decne.) C. B. Clarke 268
—— *nepalense* Wall. in Roxb. 267, †269
—— —— var. *glabrum* Hook. 269
—— —— var. *vestitum* C. B. Clarke in Hook. f. 269
—— *obovatum* Decne. 268
—— *parviflorum* Vis. 269
—— *perrottetii* A. DC. in DC. 266, †267, 268
—— —— var. *neilgherrense* (Wight) Mansf. 268
—— —— var. *obovatum* (Decne.) Gamble 268
—— *robustum* (Roxb.) Blume 266, †267
—— subsp. *robustum* †267
—— —— subsp. *walkeri* (Decne.) P. S. Green †267
—— —— var. *khasianum* C. B. Clarke in Hook. f. 268
—— —— var. *walkeri* (Decne.) Mansf. 267
—— *rosmarinifolium* Hort. ex Carrière 270
—— *roxburghii* Blume 266
—— —— C. B. Clarke 268
—— *sinense* Lour. 267, †270
—— —— var. *rugulosum* W. W. Sm. 270
—— *spicatum* Buch.-Ham. ex D. Don 269
—— *travancoricum* Gamble 268
—— *uva-ursi* Decne. 270
—— *vestitum* Wall. 269
—— *walkeri* Decne. 267
—— —— *sensu* C. B. Clarke in Hook. f. 268
—— —— var. *tubiflorum* C. B. Clarke 268
—— *wallichii* Blume 269
Liliaceae 625
Linociera Sw. ex Schreb. 260
—— *acuminata* Wall. ex DC. 265
—— *albidiflora* (Thwaites) C. B. Clarke in Hook. f. 263
—— —— var. *rostrata* (Thwaites) C. B. Clarke 263
—— *brachythyrsa* Merr. 263
—— *calcicola* Kerr 263
—— *caudata* Collett & Hemsl. 265
—— *dichotoma* (Roxb.) Wall. 263
—— *henryi* H. L. Li 262
—— *insignis sensu* C. B. Clarke in Hook. f. 262
—— *intermedia* Wight 261, 262
—— —— var. *roxburghii* (Spreng.) C. B. Clarke 261
—— *leprocarpa* (Thwaites) C. B. Clarke 263
—— —— var. *courtallensis* (Bedd.) C. B. Clarke in Hook. f. 262
—— *leucoclada* Merr. & Chun 263
—— *macrophylla* Wall. ex G. Don 261, 262
—— —— var. *attenuata* (Wall. ex G. Don) C. B. Clarke 261
—— *malabarica* Wall. ex G. Don 264
—— *minutiflora* (Kurz) C. B. Clarke 261
—— *parkinsonii* Hutch. 263
—— *pauciflora* (Wall. ex G. Don) C. B. Clarke in Hook. f. 261
—— —— var. *evolutior* C. B. Clarke 261
—— —— var. *palembanica* (Miq.) C. B. Clarke 261
—— *pierrei* Gagnep. 265
—— *purpurea* (Lam.) Vahl 263
—— —— var. *dichotoma* (Roxb.) C. B. Clarke in Hook. f. 263
—— *ramiflora* (Roxb.) Wall. 261, 262
—— *rostrata* (Thwaites) B. D. Jacks. 263
—— *terniflora* Wall. ex G. Don 264
—— —— var. *acuminata* (Wall. ex G. Don) Kurz 265
—— *wightii* C. B. Clarke in Hook. f. 264
—— *zeylanica* (L.) Gamble 263
Lippia sp. 632

Lissospermum

Lissospermum Bremek. 18
—— *pedunculosum* (Miq.) Bremek. 27, 682
Listrobanthes Bremek. 133
—— *khasyana* (Nees) Bremek. 172
Litanthus 507
Livistona rotundifolia 373
Lobelia rhynchopetalum 631
Loesenera talbotii Baker f. 227, 443, 947
Longhi-Wagner, H. M. & Cope, T. A.: Ctenium longiglume (Poaceae), a new species from Africa 229
Lophothecium boliviense Bremek. 805
Lovoa sp. 952
Luke, Quentin & Beentje, Henk: A new Vernonia (Compositae: Vernonieae) from the Udzungwa Mountains, Tanzania 977
Lukhoba, Catherine W. & Paton, Alan J.: A new species and new variety in Plectranthus L'Hér. (Labiatae) from Eastern Africa 909

Mackenziea Nees 2
Mackinder, Barbara & Cheek, Martin: A new species of Newtonia (Leguminosae-Mimosoideae) from Cameroon 447
Macropodiella pellucida (Engl.) C. Cusset 734
Maesa from New Guinea: a new species and a revised description of Maesa beamanii. Contibutions to the Flora of Mt Jaya, X, T. M. A. Utteridge 237
Maesa Forssk. 237, 240
—— *beamanii* Utteridge 237, †240, 241
—— *calcarea* Sleumer 240
—— *decipiens* Utteridge †237, 238, *239, 240
—— *procumbens* Utteridge 240
—— *ruficaulis* S. Moore 240
—— sp. 631
Maier-Stolte, M. & Freitag, H.: The genus Ephedra in NE Tropical Africa 415
Malphigiaceae 209
Malvaceae: Hibiscus viitifolius subsp. lukei (Malvaceae), a new subspecies from Kenya, Geoffrey Mwachala & Martin Cheek 499
Malvaceae 499, 632
Mapouria xanthophylloides Müll. Arg. 554
Maranta arundinacea 647
—— *grandis* Miq. 651
The Marantaceae of Sabah, northern Borneo, Karen Clausager & Finn Borchsenius 647
Marantaceae 647, 648, 650, 660
Markhamia sp. 632
Martínez, Susana & Romero, María E. Múlgura de: The taxonomic position of Parodianthus (Verbenaceae): a morphological survey of the gynoecium and inflorescence 929
Martins, A. B., Goldenberg, R. & Teixeira, S. P.: Anther dehiscence and circumscription of Miconia sect. Hypoxanthus (Melastomataceae) 195
Martins, Ângela Borges & Romero, Rosana: Four new species of Svitramia Cham. (Melastomataceae: Melastomeae) from Minas Gerais, Brazil 403
Martynia L. 210
—— *annua* L. 210
—— *spathacea* Spreng. 207
Martyniaceae: Holoregmia Nees, a recently rediscovered genus of Martyniaceae from Bahia, Brazil, R. M. Harley, A. M. Giulietti & F. A. R. dos Santos 205
Martyniaceae 205, 209 – 211

Matelea

Matelea Aubl. 723
Maturbongs, Rudi, Baker, William J., Bayton, Ross P. & Dransfield, John: A revision of the Calamus aruensis (Arecaceae) complex in New Guinea and the Pacific 351
Maxted, Nigel & Bennett, Sarita Jane (eds.): Plant Genetic Resources of Legumes in the Mediterranean. Current Plant Science & Biotechnology in Agriculture Vol. 39 (Rev.) 242
Mayapea leprocarpa (Thwaites) Kuntze 263
—— *rostrata* (Thwaites) Kuntze 263
Maytenus Molina 833, 849
—— *bachmannii* (Loes.) Marais 856
—— *drummondii* N. Robson & Sebsebe 835, 861
—— ? *heterophylla* 632
—— *mossambicensis* (Klotzsch) Blakelock 833 – 835, 849
—— —— var. *ambonensis* (Loes.) N. Robson 846
—— —— var. *gurueensis* N. Robson 850
—— —— var. *mossambicensis* 835, 837, 840
—— —— var. *ruber* (Harv.) Blakelock 844
—— —— var. *stolzii* N. Robson 844
—— *nemorosa* (Eckl. & Zeyh.) Marais 858
—— *undata* 420
—— *vanwykii* R. H. Archer 855
Melampyrum L. 487
—— *arvense* L. 487
—— *roseum* Maxim. 486, 487
Melanosticta DC. 175, 176
—— *burchellii* DC. 176, 182
—— *sandersonii* Harv. in Harv. & Sond. 181
Melastoma L. 459
Melastomataceae: Anther dehiscence and circumscription of Miconia sect. Hypoxanthus (Melastomataceae), R. Goldenberg, S. P. Teixeira & A. B. Martins 195
Melastomataceae: Four new species of Svitramia Cham. (Melastomataceae: Melastomeae) from Minas Gerais, Brazil, Rosana Romero & Angela Borges Martins 403
Melastomataceae: A geo-ecologically specialised new species of Adelobotrys (Melastomataceae: Merianieae) from Peruvian Amazonia, Leif Schulman 459
Melastomataceae 195, 199, 201, 412, 460, 465, 611, 623
—— tribe *Kibessieae* 199
—— tribe *Melastomeae* 403
—— tribe *Merianieae* Triana 459, 461
Meliaceae 625, 631
Melianthaceae 632
Melinia candolleana (Hook. & Arn.) Decne. 883
Melissa 921
Mellera lobulata 978
Melodinus duclouxii H. Lév. 294
Memecylon sp. 952
Mendoncia sp. 227
Metastelma 867
—— *fusculum* C. Wright apud Sauvalle 883
—— *leptophyllum* (Schltr.) Alain 883
—— *ovalifolium* (A. Rich.) Liede 884
—— *pubescens* (Greenm.) W. D. Stevens 884
—— *pubipetalum* (Alain) Liede 883
Metrodorea A. St.-Hil. 517
Miconia Ruiz & Pav. 195, 196, *198, 199, *200, 201
—— sect. *Chaenanthera* (Naudin) Cogn. 195, 196
—— sect. *Chaenopleura* (Rich. ex DC.) Hook. f. 195, 201

Miconia

Miconia sect. *Cremanium* (D. Don) Hook. f. 201
—— sect. *Glossocentrum* (Crueg.) Hook. f. 196, 201
—— sect. *Hypoxanthus* (Rich. ex DC.) Hook. f. 195 – 197, 201
—— *cinnamomifolia* (DC.) Naudin *196, 197, *198
—— *laticrenata* (DC.) Naudin *196, 197, *198, 200, 201
—— *pusilliflora* (DC.) Naudin *196, 197, *198, 200
—— *sellowiana* Naudin 201
—— *trianae* Cogn. 201
—— *trichotoma* (Desr.) DC. 201
—— *urophylla* DC. 201
Microcos L. 329, 330
—— *crassifolia* Burret 347
—— *erythrocarpa* (Ridl.) Airy Shaw 333, 336
—— *florida* (Miq.) Burret 333
—— *gracilis* auct. non Stapf ex Ridl. 339
—— *havilandii* Ridl. 347
—— *henrici* (Baker f.) Burret 342
—— —— subsp. *acuta* R. C. Chung 329, †342, *344, 346
—— —— subsp. *henrici* 342, 346
—— *hirsuta* (Korth.) Burret 336, 339
—— —— auct. non (Korth.) Burret 339
—— *kinabaluensis* R. C. K. Chung 329, †330, *332, 333
—— *latistipulata* (Ridl.) Burret 347
—— *laurifolia* (Hook. ex Mast.) Burret 330, 333
—— *malayana* R. C. K. Chung 329, 330, †333, *335, 336
—— *membranifolia* R. C. K. Chung 329, 330, †336, *338, 339
—— *ossea* auct. non Burret 347
—— *pachyphylla* Merr. 347
—— *pyriformis* (Elmer) Burret 333
—— *stylocarpa* (Warb.) Burret 346
—— —— var. *longipetiolata* (Merr.) Burret 347
—— *subcordifolia* R. C. K. Chung 329, 330, †339, *341, 342
—— *sumatrana* (Baker f.) Burret 339, 342
—— *triflora* (Blanco) R. C. K. Chung †346, 347
—— —— var. *longipetiolata* (Merr.) R. C. K. Chung †347
Microloma 867 – 869, 873, 875, *876, *877
—— *armatum* (Thunb.) Schltr. ex Gilg 867
—— —— var. *armatum* 883, 884
—— *calycinum* E. Mey. 868
—— *incanum* Decne. 868
—— *poicilanthum* H. Huber 875, *876, *877
—— *sagittatum* (L.) R. Br. 868, *876, *877
—— *tenuifolium* (L.) K. Schum. 868
Microstrobilus Bremek. 18, 133
—— *alatus* (Blume) Bremek. 49, 158
—— *orthostachyus* Bremek. 159
—— *paniculata* (Nees) Bremek. 46, 159
—— *stenurus* Bremek. 51, 158
Mildbraediodendron excelsum 227
Milicia sp. 952
Mimosa L. 468
—— *ctenodes* Barneby 468
—— *nitida* Vahl 492
Mitostigma mitophorum (Griseb.) T. Mey. 884
Mogorium elongatum (Bergius) Lam. 289
—— *gimea* Zuccagni in Roemer 287
—— *goaense* Zuccagni 287
—— *pubescens* (Retz.) Lam. 288
—— *sambac* (L.) Lam. 287

Mogorium

Mogorium scandens (Retz.) Lam. 290
—— *triflorum* (Burm. f.) Lam. 293
—— *trifoliatum* Lam. 278
—— *undulatum* (L.) Lam. 287
—— *vimineum* (Retz.) Lam. 293
Monetes sp. 622
Monograph of the genus Leonotis (Pers.) R. Br. (Lamiaceae), Mattias Iwarsson & Yvette Harvey 597
Monoporus 973
Monotheca buxifolia 420, 422
Moraceae: New Dorstenia (Moraceae) discoveries in western Cameroon, B. J. Pollard, M. Cheek & P. Bygrave 185
Moraceae 185, 240
Morphology and anatomy of fruits in Pouzolzia (Urticaceae) in relation to taxonomy, T. I. Kravtsova, I. Friis & C. M. Wilmot-Dear 297
Morrenia: A synopsis of Morrenia Lindl. (Apocynaceae subfam. Asclepiadoideae), D. J. Goyder 713
Morrenia Lindl. 713, †714
—— sect. *Eumorrenia* 715
—— sect. *Morrenia* 717
—— sect. *Stuckertia* (Kuntze) Malme 714, 715, 717
—— *brachystephana* Griseb. 714 – 716, †717
—— *connectens* Malme 717
—— —— var. *hunzigeri* T. Mey. 717
—— *grandiflora* Malme 718, 719
—— *hassleriana* Malme 713 – 715, †716, 717
—— *herzogii* Schltr. 713, 714, 716, †719, 720
—— *incana* S. Moore 719
—— *intermedia* T. Mey. 713, 716
—— *odorata* (Hook. & Arn.) Lindl. 714, 715, †716, ·717
—— *scalae* (Hicken) Goyder 715, †718
—— *schulziana* T. Mey. in Descole 713, 719
—— *stormiana* (Morong) Malme 714, 716, †719
—— *stuckertiana* (Kurtz ex H. Heger) Malme 714, 716, 717, †718, 719
—— —— subsp. *grandiflora* (Malme) Goyder 714, †718
—— —— subsp. *stuckertiana* †718
—— *variegata* (Griseb.) T. Mey. 714, 715, †717
—— —— var. *hunzigeri* (T. Mey.) T. Mey. 717
Musa 963
Musanga cecropioides 227
Mussaenda coriacea Spreng. 578
Mwachala, Geoffrey & Cheek, Martin: Hibiscus vitifolius subsp. lukei (Malvaceae), a new subspecies from Kenya 499
Myrica gale 615
Myristicaceae 192
Myrothamnus 619
Myrsinaceae 631
Myrtales 199
Myxopyrum Blume 257, 273
—— *ellipticifolium* H. T. Chang 274
—— *ellipticilimbum* H. T. Chang 273
—— *nervosum* Blume 273
—— *salicifolium* var. *genuinum* Kurz 273
—— *serratulum* A. W. Hill 273
—— *smilacifolium* (Wall.) Blume †273
—— —— var. *ilicifolium* Kurz 273

Nathusia swietenoides (Roxb.) Kuntze 271
Nectarinia afra 599
—— *famosa* 599, 600

Nectarinia

Nectarinia kilimensis 599, 600
—— *olivacea* 599
Nectariniidae 599
Nelsonia canescens 606
Neoschumannia kamerunensis Schltr. 192
Nepeta L. 488
—— *nepetoides* (Batt. ex Pit.) Harley †488
Nesbitt, Mark. *Reviewer*: Plant Genetic Resources of Legumes in the Mediterranean. Current Plant Science & Biotechnology in Agriculture Vol. 39, by Nigel Maxted & Sarita Jane Bennett (eds.) 242
Nesogordonia 971
A new combination in the fern genus Ceradenia (Grammitidaceae), Paulo Henrique Labiak 991
New combinations in Pomaria (Caesalpinioideae: Leguminosae), B. B. Simpson & G. P. Lewis 175
New Dorstenia (Moraceae) discoveries in western Cameroon, B. J. Pollard, M. Cheek & P. Bygrave 185
New Guinea: Elaeocarpus for Flora Malesiana: two new taxa in the Coloides subgroup of the Monocera group from New Guinea, M. J. E. Coode 453
New Guinea: Maesa from New Guinea: a new species and a revised description of Maesa beamanii. Contibutions to the Flora of Mt Jaya, X, T. M. A. Utteridge 237
New Guinea: A revision of the Calamus aruensis (Arecaceae) complex in New Guinea and the Pacific, William J. Baker, Ross P. Bayton, John Dransfield & Rudi Maturbongs 351
A new name for Drimia congesta (Wight) Stearn (Hyacinthaceae), P. Lakshminarasimhan 507
A new Palo Verde (Parkinsonia-Leguminosae: Caesalpinioideae) from Peru, C. E. Hughes, A. Daza Yomona & J. A. Hawkins 467
A new species and a new combination of Cyrtochloa (Poaceae-Bambusoideae) from the Philippines, Soejatmi Dransfield 981
A new species and new variety in Plectranthus L'Hér. (Labiatae) from Eastern Africa, Catherine W. Lukhoba & Alan J. Paton 909
A new species of Acacia (Leguminosae-Mimosoideae) from Somalia, Mats Thulin 495
A new species of Afrothismia (Burmanniaceae) from Kenya, Martin Cheek 951
A new species of Boehmeria (Urticaceae), B. burgeriana Wilmot-Dear, Friis & Kravtsova, endemic to Costa Rica, C. M. Wilmot-Dear, I. Friis & T. I. Kravtsova 213
A new species of Cyphostemma (Vitaceae) from Tanzania, B. Verdcourt 503
A new species of Dacryodes (Burseraceae) from Zambia, J.-M. Onana & M. Cheek 219
New species of Diospyros (Ebenaceae) from Brazil, Cynthia A. Sothers 495
A new species of Lavandula L. (Lamiaceae) from Gran Canaria, Canary Islands, Tim Upson & Susyn Andrews 903
A new species of Ledermanniella (Podostemaceae) from western Cameroon, Martin Cheek 733
A new species of Newtonia (Leguminosae-Mimosoideae) from Cameroon, Barbara Mackinder & Martin Cheek 447
New species of Papuacalia (Compositae: Senecioneae). Contributions to the Flora of Mt Jaya, XI, D. J. N. Hind & R. J. Johns 389
A new species of Psiadia (Compositae) from Mayotte, Jean-Noel Labat & Henk Beentje 971

New species

A new species of Senecio (Compositae: Senecioneae) from southern Tanzania, H. Beentje 233
A new species of Stylosanthes Sw. (Leguminosae-Papilionoideae) from Mato Grosso do Sul, Brazil, Nuno Maria de Sousa Costa & Cassio van den Berg 743
A new species of Styppeiochloa De Winter (Poaceae) from Angola, Thomas A. Cope & Bruno Ryves 739
A new species of Themeda Forssk. (Poaceae) from India, G. G. Potdar, C. B. Salunkhe & S. R. Yadav 243
A new species of Tylophora (Apocynaceae: Asclepiadeae) from central Somalia, D. J. Goyder 723
New synonymy and taxonomic changes in the Labiatae, Raymond M. Harley, A. J. Paton & O. Ryding 485
New taxa and new combinations of Microcos (Tiliaceae) from Peninsular Malaysia and Borneo, R. C. K. Chung 329
A new Vernonia (Compositae: Vernonieae) from the Udzungwa Mountains, Tanzania, Quentin Luke & Henk Beentje 977
Newtonia 447
—— *buchananii* 978
—— *duncanthomasii* Mackinder & Cheek †447, 448, 449, *450, 451, 960
—— *duparquetiana* (Baill.) Keay 447, 448
—— *paucijuga* 952
Nielsen, I. C. *Reviewer*: Leguminosae of Madagascar, by D. J. Du Puy, J.-N. Labat, R. Rabevohitra, J.-F. Villiers, J. Bosser & J. Moat 174
Noronhia 971
Notelaea posua D. Don 265
—— *zeylanica* Gardner ex Thwaites 259
Notes on Strobilanthes: the Sympagis group, J. R. I. Wood, J. R. Bennett & R. W. Scotland 131
Notes on the genus Justicia in Bolivia, D. C. Wasshausen & J. R. I. Wood 769
Nothofagus 240, 728
Notochaete 598
Nuxia floribunda 978
Nyctanthes angustifolium L. 293
—— *elongata* Bergius 288
—— *hirsutum* L. 294
—— *multiflorum* Burm. f. 288
—— *pubescens* Retz. 288
—— *sambac* L. 287
—— *scandens* Retz. 290
—— *triflora* Burm. f. 293
—— *undulata* L. 287, †296
—— *viminea* Retz. 293

The occurrence of Geopora arenosa in the British Isles , Y.-J. Yao & B. M. Spooner 247
Ochradenus baccatus 897, 900
Ocimum gratissimum 632
Ocotea 220
Odontanthera 713
Olea L. 257, 258, 417
—— *acuminata* Wall. ex G. Don 265
—— —— var. *longifolia* DC. 265
—— *asiatica* Desf. 258
—— *attenuata* Wall. ex G. Don 261
—— *bournei* Fyson 260
—— *buchananii* D. Don 265
—— *capense* L. 269

Olea

Olea chrysophylla Lam. var. *cuspidata* (Wall. ex G. Don) Cif. 258
—— —— var. *ferruginea* (Royle) A. Chev. 258
—— *compacta* Wall. ex G. Don 268
—— *cuspidata* Wall. ex G. Don 258
—— *dentata* Wall. ex DC. 259
—— —— var. *salicifolia* (Wall. ex G. Don) C. B. Clarke in Hook. f. 259
—— *dioica* Roxb. 258, †259
—— —— *sensu* C. B. Clarke in Hook. f. 259
—— —— var. *wightiana* (Wall. ex G. Don) DC. 259
—— *europea* L. 258
—— —— subsp. *cuspidata* (Wall. ex G. Don) Cif. †258, 420, 422
—— —— subsp. *ferruginea* (Royle) Cif. 258
—— *ferruginea* Royle 258
—— *fragrans* Thunb. 265
—— *gamblei* C. B. Clarke in Hook. f. 258, †259
—— *gardneri* Thwaites 259
—— *glandulifera* Wall. ex G. Don 260
—— *grandiflora* Wall. ex G. Don 269
—— *heyneana* Wall. ex G. Don 259
—— *laevis* Stokes 259
—— *lindleyi* Wall. ex G. Don 270
—— *linoceroides* Wight 264
—— *malabarica* Kostel. 259
—— *myrtifolia* Wall. ex Voigt 270
—— *paniculata* R. Br. 258, †259
—— —— Roxb. 260
—— *pauciflora* Wall. ex G. Don 261
—— *polygama* Wight 258, †259
—— *posua* D. Don 265
—— *robusta* (Roxb.) Wall. 267
—— —— *sensu* Wight 268
—— —— var. *angustifolia* Wall. 270
—— *roxburghiana* Schult. 261
—— *roxburghii* Spreng. 260
—— —— Spreng. var. *E* Wall. 267
—— *salicifolia* Wall. ex G. Don 258, †259
—— *sativa* Wall. 258
—— *tenuiflora* Wall. ex DC. 261
—— *terniflora* (Wall. ex G. Don) Kurz 265
—— *wightiana* Wall. ex G. Don 258, †259
Oleaceae: Studies in the genus Jasminum (Oleaceae), XVIII. Lectotypification of Nyctanthes undulata L., P. S. Green 296
Oleaceae: Synopsis of the Oleaceae from the Indian Sub-Continent, P. S. Green 257
Oleaceae 971
Oliniaceae 199
Onana, J.-M. & Cheek, M.: A new species of Dacryodes (Burseraceae) from Zambia 219
Oncinema 868
—— *lineare* (L. f.) Bullock 868, 884
Oncoba ovalis Oliv. 442
Oncocalamus (G. Mann & H. Wendl.) H. Wendl. 373, 987
Ononis angustissimus subsp. *ulicina* 905
Onychium divaricatum 423
Ophionella willowmorensis Bruyns 432, 433
Origanum vulgare L. 919
Ornus floribunda (Wall.) G. Don 272
—— *moorcroftiana* [Wall.] G. Don 273
—— *urophylla* [Wall.] G. Don 272
—— *xanthoxyloides* [Wall.] G. Don 272
Orthosiphon 921

Orthotactus

Orthotactus aequilabris Nees in Mart. 818
—— *arnottianus* Nees in Mart. 818
—— *strobilaceus* Nees in Mart. 818
—— *venosus* Nees in Mart. 818
Osmanthus Lour. 257, †265
—— *delavyi* Franch. 266
—— *fragrans* Lour. †265
—— *matsumuranus* Hayata 265, †266
—— *suavis* King ex C. B. Clarke in Hook. f. 265, †266
Othonna 434
Oxygyne Schltr. 951
Oxypetalum 713, 714
—— *scalae* Hicken 718
—— *variegatum* Griseb. 717
Oyen, L. P. A. & Lemmens, R. H. M. J. (eds.): Plant Resources of Tropical Africa. Precursor (Rev.) 510

Pachysanthus C. Presl 514
—— *macrophyllus* C. Presl 514, 542, 544
Pachystrobilus Bremek. 18
—— *hirsutus* Bremek. 38
—— *involucratus* (Blume) Bremek. 36
—— —— var. *glaber* Bremek. 36
—— —— var. *tjibodensis* (Hochr.) Bremek. 36
—— —— var. *typica* 36
Painteria 491
—— *nitida* (Vahl) Kosterm. 492
Palicourea Aubl. 514, 515, 517, 585
Palmae: Two new species of rattan (Palmae: Calamoideae) from the forests of West and Central Africa, Terry C. H. Sunderland 987
Palmae subfam. *Calamoideae* 987
Pœppea capensis 625
Papuacalia Veldkamp 389, *401
—— *carstenszensis* (P. Royen) Veldkamp 395, 398
—— *dindondl* (P. Royen) Veldkamp 398, *401
—— *gandin* (P. Royen) Veldkamp 398, *401, 402
—— *glossophylla* (Mattf.) Veldkamp 389, 391, 395, *401
—— *kukul* (P. Royen) Veldkamp 398
—— *milleri* D. J. N. Hind & R. J. Johns †395, *397, 398, *401
—— *mogrere* (P. Royen) Veldkamp 395
—— *sandsii* D. J. N. Hind & R. J. Johns †389, 391, *392, *393, *394, 401
—— *titoi* D. J. N. Hind & R. J. Johns †398, *399, *401, 402
—— *valentini* Veldkamp 391
—— *veldkampii* D. J. N. Hind 391, 395
—— *versteegii* (Mattf.) Veldkamp 391, 395
—— *yuleensis* Veldkamp 398
Parachampionella Bremek. 83, 118, 119
—— *flexicaulis* (Hayata) C. F. Hsieh & T. C. Huang 118
—— *glandulifera* (Hatus.) S. S. Ying 118
—— *rankanensis* (Hayata) Bremek. 119
—— *tashiroi* (Hayata) Bremek. 119
Parastrobilanthes Bremek. 18, 133
—— *backeri* Bremek. 62, 147
—— *koordersii* (C. B. Clarke ex Koord.) Bremek. 60, 155
—— *parabolica* (Nees) Bremek. 72, 150
—— *pycnocephala* Bremek. 72, 151
Parasympagis Bremek. 133
—— *garrettii* Bremek. 155
—— *kerrii* Bremek. 155
—— *wallichii* Bremek. 155

Parinari

Parinari curatellifolia 622
—— *excelsa* 978
Parkia filicoidea 952
Parkinsonia 470, 471
—— *aculeata* L. 467, 470, 471
—— ?*carterae* Hawkins 470, 471
—— *peruviana* C. E. Hughes, Daza & Hawkins †467, 468, *469, 470, 471
—— *praecox* (Ruiz & Pavon) Hawkins 468, 470, 471
—— *spinosa* Humb., Bonpl. & Kunth 471
Parodianthus: The taxonomic position of Parodianthus (Verbenaceae): a morphological survey of the gynoecium and inflorescence, Susana Martínez & María E. Múlgura de Romero 929
Parodianthus Tronc. 929, 930, 934, *936, 937
—— *capillaris* Tronc. 930, †931, 932
—— *ilicifolius* (Moldenke) Tronc. 929, †930, 931, *932, *933, *935
Paton, A. J., Harley, Raymond M. & Ryding, O.: New synonymy and taxonomic changes in the Labiatae 485
Paton, Alan J. & Lukhoba, Catherine W.: A new species and new variety in Plectranthus L'Hér. (Labiatae) from Eastern Africa 909
Paton, Alan, Ryding, Olof, Thulin, Mats & Springate, David: Reconsideration of the genus Puntia and a new species of the genus Endostemon (Lamiaceae) 919
Pavetta hymenophylla 978
Pedaliaceae 205, 210
Peltophyllum luteum 947
Penaeaceae 199
Pennisetum clandestinum 632
—— *schimperi* 632
Pentadesma grandiflora Baker f. 442
Pentaloncha sp. nov. 442
Pentanura 867
Pentarrhinum 713
Perilepta Bremek. 83, 89, 94
—— *amplectens* (Nees) Bremek. 90
—— *auriculata* (Nees) Bremek. 89
—— *dyeriana* (Mast.) Bremek. 92
—— *edgeworthiana* (Nees) Bremek. 91
—— *maclellandii* (C. B. Clarke) Bremek. 92
—— *plumulosa* (Nees) Bremek. 90
—— *siamensis* (C. B. Clarke) Bremek. 91
—— *venusta* (Craib) Bremek. 91
Periploca visciformis 419, 421, 422
Peristrophe Nees 703, 711
—— *decorticans* Balkwill 710, 711
—— *paniculata* (Forssk.) Brummitt 704, *706, 708, *710
—— *teklei* Ensermu †704, *706, 707, 708, *709, *710, 711
Perrierastrum Guillaumin 487
—— *oreophilum* Guillaumin 487, 488
Petrea 937
Peziza arenosa Fuckel 247 – 249
—— *parasitica* 749
Phacelophrynium K. Schum. in Engler 648, *649, 650, †653, 656, 658, 673
—— *aurantium* Clausager & Borchs. 650, †653, *655, 656
—— *bracteosum* Warb. ex K. Schum. in Engler 658, 660
—— *laxum* Clausager & Borchs. 650, 653, †656, *657, 658

Phacelophrynium

Phacelophrynium maximum (Blume) K. Schum. 650, 653, 654, 656, †658, *659, 660
—— *tapirorum* (Ridl.) K. Schum. in Engler 658
Phialina Höhn. 751
Phillyrea grandiflora Wall. 269
—— *robusta* Roxb. 267
Phlebophyllum Nees 1 – 3
Phlomis L. 598
—— sect. *Leonotis* Pers. 601
—— *africana* P. Beauv. 636
—— *leonitis* L. 624
—— *leonurus* L. 603
—— *nepetifolia* L. 633
—— *ocymifolia* Burm. f. 623, 624
—— *pallida* Schumach. & Thonn. 636
—— *tuberosa* L. 637
Phrynium Willd. 648 – 650, †660, 661, 663, 665, 673
—— *basiflorum* Ridl. 666
—— —— var. *nobile* Ridl. 666
—— *capitatum* Willd. 660, 664, 665, 673
—— *densiflorum* Blume 672
—— *dichotomum* Roxb. 652
—— *grandibracteatum* Clausager & Borchs. 650, †661, *662, 663
—— *griffithii* Baker in Hook. f. 670
—— *hirtum* Ridl. 650, 661, †663, 666
—— *inflatum* Merr. 663
—— *latifolium* Blume 669, 670
—— *malaccense* Ridl. 664
—— *maximum* Blume 653, 658
—— *ovatum* Nees & Mart. 660, 665
—— *parviflorum* Roxb. 672
—— *placentarium* (Lour.) Merr. 672
—— *pubinerve* Blume 650, 660, 661, †663, 664, *665, 672
—— *rheedei* Suresh & Nicolson 660, 664, 665
—— *stenophyllum* Clausager & Borchs. 650, 660, †666, *667
—— *tapirorum* Ridl. 658
—— *villosulum* Miq. 650, 661, *665, †666, 668
Phyllanthus 437, 438, 442, 736
—— sect. *Phyllanthus* subsect. *Swartziani* G. L. Webst. 438, 439, 442
—— sect. —— subsect. —— ser. *Amari* 438
—— sect. —— subsect. —— ser. *Ceratostemon* 438
—— sect. —— subsect. —— ser. *Lignosi* 438
—— subsect. *Odontadenii* Brunel & J. P. Roux 438
—— *caesifolius* Petra Hoffm. & Cheek 437, 438, †439, *441, 442, 443
—— *leucanthus* Pax 438
—— *mittenianus* Hutch. 438
—— *nigericus* Brenan 437, 438, 442
—— *nyale* Petra Hoffm. & Cheek 437 – 439, †442, *444
—— *odontadenius* Müll. Arg. 437, 438
—— *pseudoniruri* Müll. Arg. 438
—— *sublanatus* Schum. & Thonn. 437, 438
—— —— subsp. *eliae* Brunel & J. P. Roux 437
—— —— subsp. *sublanatus* 437
Phyllodes Lour. 660
—— *placentaria* Lour. 672
Picricarya oppositifolia Dennst. 259
Pilea 218
Pilocarpus Vahl 517
Pinus canariensis 903
Pipturus 298, 318, 322, 323
—— *dentatus* 323

Pistacia

Pistacia aethiopica 418, 421
—— *falcata* 421
Pitardia Batt. ex Pit. 488
—— *caerulescens* Maire 488
—— *gracilis* Andr. 488
—— *nepetoides* Batt. ex Pit. 488
Pithecellobium 491
—— *sensu stricto* 491
—— *vietnamense* I. C. Nielsen 491, 493
Pithecolobium 491
—— *geminatum* (Wight & Arn.) Benth. 492
—— *nitidum* (Vahl) Benth. 491, 492
—— *tenue* Craib 491, 493
Pittosporaceae 612
Pittosporum abyssinicum 612
Plectranthus: A new species and new variety in Plectranthus L'Hér. (Labiatae) from Eastern Africa, Catherine W. Lukhoba & Alan J. Paton 909
Plectranthus L'Hér. 434, 487, 909
—— sect. *Plectranthus* 487
—— *barbatus* Andrews †913, 914
—— —— var. *barbatus* †914
—— —— var. *grandis* (L. H. Cramer) Lukhoba & A. J. Paton 913, 914, †915
—— *bipinnatus* A. J. Paton †488
—— *caespitosus* Lukhoba & A. J. Paton 909, †910, 911, *912
—— *coerulescens* (Gürke) R. H. Willemse 914
—— *comosus sensu* Willemse 915
—— —— Sims 913
—— *forskaolaei* Vahl 915
—— —— Willd. 915
—— *grandis* (L. H. Cramer) R. H. Willemse 915
—— *malawiensis* 620
—— *oreophilus* Diels 487
—— *pseudobarbatus* J. K. Morton 914
—— *pubescens* Baker 909, 910
—— *schizophyllus* Baker 487
—— *selukwensis* N. E. Br. 909
—— *vestitus* Benth. 914
—— *viphyensis* Brummitt & Seyani 909
—— *zebrarum* Brummitt & Seyani 909
Pleurostelma 724
—— *cernuum* (Decne.) Bullock 867, 883, 884
—— *schimperi* (Vatke) Liede 884
Plocoma pendula 905
Poaceae: Ctenium longiglume (Poaceae), a new species from Africa, H. M. Longhi-Wagner & T. A. Cope 229
Poaceae: A new species of Themeda Forssk. (Poaceae) from India, G. G. Potdar, C. B. Salunkhe & S. R. Yadav 243
Poaceae 627, 632
—— subfam. *Arundinoideae* 741
—— subfam. *Chloridoideae* 741
Podocarpus 631, 785
—— *brassii* 391
—— *latifolius* Hook. f. 451
—— sp. 391, 612
Podospora Corda 750, 751
—— *squamulosa* (P. Crouan & H. Crouan) Niessl 749
Podostemaceae 733, 734, 736
Pollard, B. J., Cheek, M. & Bygrave, P.: New Dorstenia (Moraceae) discoveries in western Cameroon 185
Pollichia campestris 420
Polygala virgata 623, 632
Polygalaceae 623, 632

Polypodium

Polypodium 991
—— *glaziovii* Baker 991
Polyscias 971
Pomaria Cav. 175, †176, 177, 180
—— *burchellii* (DC.) B. B. Simpson & G. P. Lewis 181, †182
—— *glandulosa* Cav. 176
—— *lactea* (Schinz) B. B. Simpson & G. P. Lewis †181
—— *parviflora* (Micheli) B. B. Simpson & G. P. Lewis 177, †180
—— *pilosa* (Vogel) B. B. Simpson & G. P. Lewis 176, 177, †180
—— *rubicunda* (Vogel) B. B. Simpson & G. P. Lewis †177
—— —— var. *hauthalii* (Harms) B. B. Simpson & G. P. Lewis 177, †179
—— —— var. *rubicunda* †177
—— *sandersonii* (Harv.) B. B. Simpson & G. P. Lewis 180, †181
—— *stipularis* (Vogel) B. B. Simpson †177, *178
Pontederia ovata L. 660, 664, 665
Poskea socotrana (Balf. f.) G. Taylor 926
Potdar, G. G., Salunkhe, C. B. & Yadav, S. R.: A new species of Themeda Forssk. (Poaceae) from India 243
Pouzolzia 297, 298, *299, *303, *306, 308, 311, 316, 318 – 324
—— *sensu lato* 298
—— *sensu stricto* 298
—— sect. *Memorialis* 305, 310, 314, 315, 318, 322, 324
—— sect. *Pouzolzia* 315, 318, 319, 321, 322
—— *arachnoidea* (Walp.) Wedd. *306, 309, 311, *312, 314, 316, 320, 322, 326
—— *baronii* 321
—— *boiviniana* (Blume) Wedd. 297, *307, 308, 315, 316, 320, 321, 326
—— *cinerea* 319
—— *conglobata* 323
—— *cymosa* Wight 298, *303, 304, 305, *307, 308, 310, 315, 316, 320, 322, 326
—— *denudata* De Wild. & T. Durand 297, *303, 304, 309, *312, 314, 316, 321, 326
—— *elegans* 319
—— *fadenii* Friis & Jellis 297, 302, *303, 304, 309, 316, 319, 326
—— *formicaria* (Wedd.) Wedd. 297, *299, *303, 304, *306, 308, 311, 314, 316, 320, 323, 324, 326
—— *fulgens* 319
—— *gaudichaudii* Leandri 302, *303, 304, 309, 316, 321, 326
—— *guatemalana* Blume 316, 320, 321
—— —— var. *nivea* (S. Watson) Friis & Wilmot-Dear 309, *313, 326
—— *guineensis* Benth. 297, 309, *313, 316, 321, 326
—— *hirta* Hassk. 297, 298, *301, 310, 323, 324
—— —— var. *hirta* 297, *301, 305, *306, 315, 316, 319, 323, 324, 326
—— —— var. *parviflora* *301, 310, 316, 321
—— —— var. *parvifolia* (Wight) Friis & Wilmot-Dear 297, 305, *313, 319, 326
—— *humbertii* Leandri 304, 309, 316, 322, 326
—— *laevigata* (Poir.) Gaudich. *303, 304, 309, 316, 326
—— *laevis* (Wedd.) Wedd. 309, *313, 316, 321, 322, 326
—— *latistipula* 297, 319
—— *longipes* 297, 319

Pouzolzia

Pouzolzia meeboldii 327
—— *mixta* Solms 304, *306, *313, 316, 321, 326
—— —— var. *mixta* 309, 321
—— —— var. *shirensis* (Rendle) Friis & Wilmot-Dear 309, 326
—— *niveotomentosa* 319
—— *nudiflora* (Willd.) Friis & Wilmot-Dear 308, 316, 320, 327
—— *obliqua* (Wedd.) Wedd. 308, *313, 316, 320, 327
—— *occidentalis* (Liebm.) Wedd. 304
—— —— var. *occidentalis* *299, *303, *306, 308, 316, 319, 320, 322, 324, 327
—— —— var. *palmeri* (S. Watson) Friis & Wilmot-Dear 309, 316, 320, 321, 327
—— *parasitica* (Forssk.) Schweinf. 297, 304, 309, 311, 314 – 316, 319, 321, 327
—— *pentandra* (Roxb.) Benn. & R. Br. 297, 298, *301, 305, 316, 319, 324
—— —— subsp. *pentandra* *301, 305, *306, 310, 319, 323, 327
—— —— subsp. *wightii* (Benn. & R. Br.) Friis & Wilmot-Dear *299, *306, *313, 319, 327
—— —— subsp. —— var. *gracilis* 310, 319
—— —— subsp. —— var. *wightii* *299, 310, 319, 323
—— —— var. *gracilis* (Miq.) Friis & Wilmot-Dear *299, 323, 327
—— *poeppigiana* (Wedd.) Killip *299, *306, 309, *313, 316, 321, 327
—— *pringlei* Greenm. 310, 316, 321, 327
—— *purpusii* Brandegee *306, 310, *313, 316, 320, 321, 327
—— *rubricaulis* (Blume) Wedd. 297, *306, 308, *312, 314, 316, 319, 327
—— *sanguinea* (Blume) Merrill 297, 304, 315, 316, 319
—— —— var. *cinerascens* (Blume) Wedd. *303, 304, 308, 327
—— —— var. *elegans* (Wedd.) Friis & Wilmot-Dear *306, 308, *312, 327
—— —— var. *fulgens* (Wedd.) Hara 327
—— —— var. *sanguinea* *299, 308, *312, 327
—— *scaberrima* Killip 297, 308, 316, 320, 327
—— *variifolia* 319
—— *weddellii* Leandri 304, 309, 316, 321, 322
—— —— var. *humbertii* Leandri 327
—— *zeylanica* (L.) Benn. & R. Br. 298, *300, 304, 305, *306, 310, *312, 316, 322 – 324, 327
Prendergast, Hew D. V. *Reviewer*: Eucalyptus. A natural and commercial history of the gum tree, by Robin W. Doughty 509
Proboscidea Schmidel 209 – 211
—— sect. *Eu-Proboscidea* 210
—— sect. *Ibicella* Stapf 210
—— *fragrans* (Lindl.) Decne. 209
—— *parviflora* (Wooton) Wooton & Standl. 209
—— *peruviana* Van Eselt. 210
—— *unibracteata* (Nees & Mart.) Decne. 207
Protea 622
—— sp. 620, 623, 632
Proteaceae 620, 622, 623, 632
Prunus africana 978
Pseudostenosiphonium Lindau 4
Psiadia: A new species of Psiadia (Compositae) from Mayotte, Jean-Noel Labat & Henk Beentje 971
Psiadia 972
—— *agathaeoides* 972
—— *arabica* 420, 423

Psiadia

Psiadia decaryi 972
—— *pascalii* Labat & Beentje †972, *974
—— *quarziticola* 972
—— *salviaefolia* 972
—— *volubilis* 972
Psychotria L. 514, 515, 517, 585
—— sect. *Cephaelis* 553
—— *coronata* Vell. 548, 552
—— *flava* Oerst. ex Standl. 515
—— *grandis* Sw. 515
—— *jasminiflora* Mast. 577
—— *leiocarpa* Cham. & Schltdl. 554
—— —— Mart. 553, 554
—— *sessilis* Vell. 535, 536
—— ? *xanthophylloides* (Müll. Arg.) Standl. 554
Pteracanthus parryorum (C. E. C. Fisch.) Bremek. 107
Pterocarpus angolensis 632
Pteryptychia Bremek. 118
Puntia: Reconsideration of the genus Puntia and a new species of the genus Endostemon (Lamiaceae), Olof Ryding, Alan Paton, Mats Thulin & David Springate 919
Puntia Hedge 919 – 922
—— *stenocaulis* Hedge 919 – 921, 923
Pycnanthus angolensis 192
Pycnostachys urticifolia 632
Pyrrothrix Bremek. 84

Quaqua linearis (N. E. Br.) Bruyns 433
—— *pillansii* (N. E. Br.) Bruyns 433
Quassia undulata 952

Radcliffe-Smith, Alan, Hoffmann, Petra, Ranaivojaona, Roland & Ralimanana, Hélène: Suregada celastroides Radcl.-Sm. & Petra Hoffm. (Euphorbiaceae), a new species from eastern Madagascar 965
Ralimanana, Hélène, Radcliffe-Smith, Alan, Hoffmann, Petra & Ranaivojaona, Roland: Suregada celastroides Radcl.-Sm. & Petra Hoffm. (Euphorbiaceae), a new species from eastern Madagascar 965
Ranaivojaona, Roland, Radcliffe-Smith, Alan, Hoffmann, Petra & Ralimanana, Hélène: Suregada celastroides Radcl.-Sm. & Petra Hoffm. (Euphorbiaceae), a new species from eastern Madagascar 965
Rapanea sp. 391
Rauwolfia sp. 442
Rawsonia sp. 952
The recircumscription and lectotypification of Lavandula antineae Maire and description of a new species L. saharica Upson & Jury (Lamiaceae), Tim M. Upson & Stephen L. Jury 889
Reconsideration of the genus Puntia and a new species of the genus Endostemon (Lamiaceae), Olof Ryding, Alan Paton, Mats Thulin & David Springate 919
Redfieldia hitchcockii A. Camus 739, 741
A redisposition of Ascophanus tityrii Velen., S. Huhtinen & B. M. Spooner 749
Retispatha 371
A revision of Astephanus (Apocynaceae), P. V. Bruyns 867
Revision of Rudgea (Rubiaceae) in Southeastern and Southern Brazil, D. Zappi 513

Revision

A revision of Strobilanthes (Acanthaceae) in Java, J. R. Bennett & R. W. Scotland 1
A revision of the Calamus aruensis (Arecaceae) complex in New Guinea and the Pacific, William J. Baker, Ross P. Bayton, John Dransfield & Rudi Maturbongs 351
Rhadamanthus 507
Rhamnaceae 625
Rhexia 199
Rhipsalis cereoides 530
—— *mesembryanthemoides* 533
Rhizobium 745
Rhizophoraceae 631
Rhododendron *393
—— *saxifragoides* 391
Rhoicissus sp. 632
Rhus natalensis 625
—— *somalensis* 421
Rhynchocalycaceae 199
Rhynchosia clivorum 611
Rhyssolobium 867
—— *dumosum* E. Mey. 883
Rhytiglossa pauciflora Nees in Martius 771
Rinorea: Two new species of Rinorea (Violaceae) from western Cameroon, G. Achoundong & Martin Cheek 957
Rinorea 957, 960
—— subgen. *Tubulosae* Brandt 957
—— subgen. —— sect. *Violanthus* Engl. 957
—— subgen. —— sect. —— subsect. *Dentatae* Engl. 957
—— *campoensis* M. Brandt 960
—— *convallarioides* (Baker f.) Eyles subsp. *marsabitensis* Grey-Wilson 500
—— *fausteana* Achoundong †958, *959, 960
—— *ferruginea* Engl. 960
—— *oblongifolia* Marquand 960
—— *preussii* Engl. 960
—— *sinuata* Chipp 960, 963
—— *subsessilis* M. Brandt 958, 960
—— *thomasii* Achoundong †960, 961, *962, 963
—— *verrucosa* Chipp 960
—— sp. nov. 960
Roberts, P. J. & Legon, N. W.: Fungal specimens of James Bolton at Kew 759
Roberts, P. J.: Tremella arachispora: a new species from Mount Cameroon 763
Romero, María E. Múlgura de & Martínez, Susana: The taxonomic position of Parodianthus (Verbenaceae): a morphological survey of the gynoecium and inflorescence 929
Romero, Rosana & Martins, Angela Borges: Four new species of Svitramia Cham. (Melastomataceae: Melastomeae) from Minas Gerais, Brazil 403
Rosaceae 612, 631, 632
Rosmarinus officinalis L. 919
Rothmannia sp. 978
Rubiaceae 517, 527, 734, 952
Rudgea: Revision of Rudgea (Rubiaceae) in Southeastern and Southern Brazil, D. Zappi 513
Rudgea Salisb. 513, †514, 515, 517, 518, 531, 544, 551, 554, 572
—— group *I. Jasminoides* 521
—— group *II. Macrophylla* 533
—— group *III. Insignis* 540
—— group *IV. Recurva* 544
—— group *V. Parvifolia* 557

Rudgea group *VI. Minor* 564
—— group *VII. Viburnoides* 580
—— *alibertioides* Standl. 569
—— ? *allophylla* Standl. 564
—— *amplicalyx* Standl. 568, 569
—— ? *angustifolia* Müll. Arg. 569
—— ? *apoda* Müll. Arg. in Mart. 561, 563
—— *breviflora* Müll. Arg. 544
—— *calycina* Benth. 568
—— *caprifolium* A. Zahlbr. 576
—— *catharinae* Standl. 544
—— *celastrina* Müll. Arg. 572
—— *cipoana* Standl. 538
—— *clausseniana* Benth. 572
—— *clavipes* Benth. 521, 523, 524
—— *coriacea* (Spreng.) K. Schum. in Engl. & Prantl 516, 519, *574, †578, 579, 580
—— *corniculata* Benth. 525
—— *coronata* (Vell.) Müll. Arg. 515, 519, 542, 547, †548, 550, 551
—— —— subsp. *coronata* 516, *549, 550, 551, †552
—— —— subsp. *leiocarpoides* (Müll. Arg.) Zappi 516, *549, 550, 552, †553, 554
—— —— subsp. *ochroleuca* (Müll. Arg.) Zappi 516, 550, 551, †554
—— —— subsp. *saint-hilairei* (Standl.) Zappi 516, *549, 550, 551, †555
—— *corymbulosa* Benth. 516, 517, 520, *570, †572, 573, 575
—— *cyanosperma* Müll. Arg. 544, 547
—— *decipiens* Müll. Arg. 559, 564
—— *discolor* Benth. 516, 519, †564
—— *duidae* 514
—— *eriantha* (Gard.) Benth. 578
—— *erythrocarpa* Müll. Arg. 516, 519, *549, †555, 556, 557
—— *eugenioides* Standl. 553, 554
—— *fascigera* Standl. 585
—— *francavillana* Müll. Arg. 516, 518, 542, 556, *558, †559, 560, 561
—— *gardenioides* (Cham.) Müll. Arg. 516, 520, 563, 579, *581, †583, 584
—— *gaudichaudii* Müll. Arg. 521, 523, 524
—— *glaziovii* Müll. Arg. 535, 537
—— *gomeziana* Müll. Arg. 530
—— *heurckii* Müll. Arg. in Mart. 548, 551 – 553
—— *hostmanniana* Benth. 585
—— *hypomalaca* Standl. 561, 563
—— *insignis* Müll. Arg. in Mart. 516, 518, 539, †540, *541, 542
—— *intercedens* Müll. Arg. 585
—— *interrupta* Benth. 516, 520, *528, 529, †530, 531, 559
—— *irregularis* Müll. Arg. 516, 519, *581, †582, 583
—— *jacobinensis* Müll. Arg. 583
—— *jasminoides* (Cham.) Müll. Arg. 516, 520, †521, *522, 523, 524, 526, 530, 531, 533, 572, 576
—— —— subsp. *corniculata* (Beth.) Zappi 516, *522, 523, 524, †525
—— —— subsp. *jasminoides* 516, *522, 523, †524
—— —— subsp. *micrantha* Zappi 516, *522, 523, 524, †526
—— —— subsp. *nervosa* Zappi & Anunciação 516, 523, 524, †526, 527
—— *krukovii* Standl. 580
—— *lacinulata* Müll. Arg. 565, 567
—— *lanceifolia* Salisb. 514

Rudgea lanceolata (Cham.) Benth. 535, 537
—— *langsdorfii* Müll. Arg. 523, 525
—— *lasiogyne* 553
—— *lasiostylis* Müll. Arg. 548, 551, 552
—— *leiocarpa* K. Schum. in Engl. & Prantl 553
—— *leiocarpoides* Müll. Arg. 551, 553, 554
—— *littoralis* L. B. Sm. & Downs 575, 576
—— *longipes* Standl. 585
—— *loniceroides* Müll. Arg. 565, 567
—— *lundiana* Müll. Arg. 548, 551, 552
—— *macroceras* Standl. 585
—— *macrophylla* Benth. 516, 519, 531, 532, †533, *534, 535, 536, 540, 542, 544
—— *magnoliifolia* (Cham.) Müll. Arg. 578, 580
—— *major* (Cham.) Müll. Arg. 521, 523, 524
—— *martiana* Müll. Arg 565, 567
—— *medians* Müll. Arg. 565, 567
—— *mello-barretoi* Standl. 583
—— *microcephala* Müll. Arg. 547
—— *miersiana* Benth. 564, 567
—— *minor* (Cham.) Standl. 516, 519, 520, †564, 566, 569
—— —— subsp. *calycina* (Benth.) Zappi 516, *562, 565, 566, †568
—— —— subsp. *minor* 516, *562, †566
—— *mucronata* Müll. Arg. 516, 518, †540, 542
—— *multicostata* Müll. Arg. in Mart. 542, 544
—— *myrsinifolia* Benth. 521, 523, 524
—— *nettoana* Müll. Arg. 572
—— *neuwiedii* Müll. Arg. 548, 551, 552
—— *nobilis* Müll. Arg. 516, 520, †527, *528, 529, 530, 584
—— *nodosa* (Cham.) Benth. 516 – 518, †561, *562, 563, 584
—— *ochroleuca* Müll. Arg. 551, 554
—— *organensis* Standl. 527, 530
—— *ovalis* Müll. Arg. 533, 568
—— *pachyphylla* Müll. Arg in Mart. 516, 519, *534, 535, †538, 539, 544
—— *pachysanthus* Müll. Arg. in Mart. 542, 544
—— *pallida* K. Schum. 548, 551, 552
—— *paniculata* Müll. Arg. 523, 525
—— *parquioides* (Cham.) Müll. Arg. 516, 519, †575, 576, 577
—— —— subsp. *caprifolium* (A. Zahlbr.) Zappi 514, 516, 518, 573, *574, 575, †576, 577
—— —— subsp. *hirsutissima* Zappi 516, 573, *574, 575, †577, 578
—— —— subsp. *parquioides* 516, 573, *574, †575, 576
—— *parvifolia* (Cham.) Müll. Arg. 516, 518, 556, †557, *558, 560
—— *poissonii* Glaziou 585
—— *psammophila* Müll. Arg. 564, 567
—— *recurva* Müll. Arg. 516, 520, 542, †544, 545 – 547
—— *reflexa* Zappi 516, 519, *528, †531, 532, 533
—— *reticulata* Benth. 516, 518, 520, *545, 546, †547, 548
—— *richardiana* Müll. Arg. 548, 552
—— *riedeliana* Müll. Arg. 551, 554
—— *saint-hilairei* Standl. 555
—— *selloana* Müll. Arg. 565, 567
—— —— var. *subopaca* Müll. Arg. in Mart. 565, 567
—— *sessilis* (Vell.) Müll. Arg 516, 518, †535, 536 – 538, 542, 559, 567
—— —— subsp. *cipoana* (Standl.) Zappi 516, *534, 536, †538

Rudgea

Rudgea sessilis subsp. *sessilis* 516, *534, †536, 537
—— *stenantha* Müll. Arg. 530, 531
—— *stipulacea* 514
—— *subcordata* Müll. Arg. in Mart. 516, 518, †*558, †560, 561
—— *subsessilis* Benth. 535, 537
—— ? *symplocoides* Müll. Arg. 547, 548
—— *tenuifolia* Müll. Arg. 565, 567
—— *tinguana* Müll. Arg. 548, 551 – 553
—— *triflora* Benth. 516, 520, †569, *570, 571, 572
—— *umbrosa* Müll. Arg. 515, 519, †568, *570, 571
—— *vellerea* Müll. Arg. in Mart. 514, 516, 519, *541, †542, 543, 544, 578
—— *viburnoides* (Cham.) Benth. 516, 518, †580, *581, 582
—— *villiflora* K. Schum. ex Standl. 578, 580
—— *villosa* Benth. ex Glaziou 585
—— *weddeliana* Müll. Arg. 565, 567
—— *ypanemensis* Müll. Arg. 572
Ruellia colorata Blume 22
—— *comosa* Roxb. 85
—— *discifolia* 704
—— *erythropus* (Nees) Lindau 711
—— *eucoma* Steud. 85
—— *hamiltoniana* Steud. 22, 695
—— *hirta* Vahl 65
—— *junghuhniana* Miq. 24
—— *lupulina* 35, 36
—— *maculata* Wall. 164
—— *rufescens* Roth 85
Rungia Nees 139, 157, 711
Rutaceae 517
Rutidea sp. 978
Ryding, O., Harley, Raymond M. & Paton, A. J.: New synonymy and taxonomic changes in the Labiatae 485
Ryding, Olof, Paton, Alan, Thulin, Mats & Springate, David: Reconsideration of the genus Puntia and a new species of the genus Endostemon (Lamiaceae) 919
Ryves, Bruno & Cope, Thomas A.: A new species of Styppeiochloa De Winter (Poaceae) from Angola 739

Salunkhe, C. B., Potdar, G. G. & Yadav, S. R.: A new species of Themeda Forssk. (Poaceae) from India 243
Salvia 921
Santiria trimera (Oliv.) Aubrév. 449
Santos, F. A. R. dos, Harley, R. M. & Giulietti, A. M.: Holoregmia Nees, a recently rediscovered genus of Martyniaceae from Bahia, Brazil 205
Sapindaceae 625
Sapotaceae 971
Sarcostemma R. Br. 427, 433, 434
—— *mulanjense* Liede & Meve 434
—— *oresbium* Bruyns †*433, 434
—— *pearsonii* N. E. Br. 427
—— *resiliens* Adams & Holland 434
—— *stolonifera* Adams & Holland 434
—— *subterranea* Adams & Holland 434
—— *viminale* (L.) R. Br. 427, 434
Satanocrater paradoxa 704
Saurauia 240
Sauropus androgynus (L.) Merr. 442
Schefflera sp. 631
Schizobasis 507

Schrebera

Schrebera Roxb. 258, 271
—— *swietenoides* Roxb. †271
—— —— var. *genuinum* Kurz 271
—— —— var. *pubescens* Kurz 271
Schrire, B. D. & Lewis, G. P.: Thailentadopsis Kostermans (Leguminosae: Mimosoideae: Ingeae) resurrected 491
Schulman, Leif: A geo-ecologically specialised new species of Adelobotrys (Melastomataceae: Merianieae) from Peruvian Amazonia 459
Schumannianthus Gagnep. 648, 650, †652, 653
—— *dichotomus* (Roxb.) Gagnep. 650, †652, 653
Sciaphila 227
—— *africana* A. Chev. 948
—— *ledermannii* Engl. 948
Scolopia 971
Scotland, R. W. & Bennett, J. R.: A revision of Strobilanthes (Acanthaceae) in Java 1
Scotland, R. W. & Wood, J. R. I.: The 2-lipped species of Strobilanthes (Acanthaceae) 83
Scotland, R. W. & Wood, J. R. I.: Strobilanthes: panicled species from East Asia 679
Scotland, R. W., Wood, J. R. I. & Bennett, J. R.: Notes on Strobilanthes: the Sympagis group 131
Scrophulariaceae 486, 623
Scrophulariales 205
Sebaea oligantha 227
Secamone filiformis (L. f.) J. H. Ross 883
A second species of Distyliopsis (Hamamelidaceae) from New Guinea, N. A. Brummitt & T. M. A. Utteridge 727
Semnostachya alboviridis (J. B. Imlay) Bremek. 100
—— *deliensis* Bremek. 100
—— *glandulosa* Bremek. 699
Senecio 233
—— *kayomborum* Beentje †233, *234
—— *kleinia* 905
—— *pachyrhizus* 233
Senegalia 496
Sepultaria arenosa (Fuckel) Boud. *sensu* Seaver 247, 249
—— —— (Fuckel) Rehm in Rabenh. 248
Sericocalyx Bremek. 1, 5, 20
Seychellaria africana Vollesen 948
Simaroubaceae 631
Simpson, B. B. & Lewis, G. P.: New combinations in Pomaria (Caesalpinioideae: Leguminosae) 175
Sinthroblastes Bremek. 133
—— *timorensis* Bremek. 147
Siphocranion Kudo 487, 921
Siphonosmanthus suavis (King ex C. B. Clarke) Stapf 266
Skeletocutis amorpha (Fr.) Kotl. & Pouzar 759
Solanaceae 631
Solanum 199
Sopubea sp. 623
Sordaria aloides (Fuckel) J. H. Mirza & Cain 750
—— *conica* (Fuckel) A. E. Bell. & Mahoney 750
—— *squamulosa* 749, 750
—— *tetraspora* (G. Winter) Cain 750
Soridium 227, 940
Sorindeia calantha 978
Sothers, Cynthia A.: New species of Diospyros (Ebenaceae) from Brazil 495
Spergularia marina 323
—— *media* 323
Sphaeria riccioidea Bolton 759

Spooner

Spooner, B. M. & Huhtinen, S.: A redisposition of Ascophanus tityrii Velen. 749
Spooner, B. M. & Yao, Y-J.: The occurrence of Geopora arenosa in the British Isles 247
Springate, David, Ryding, Olof, Paton, Alan & Thulin, Mats: Reconsideration of the genus Puntia and a new species of the genus Endostemon (Lamiaceae) 919
Stachyphrynium K. Schum. in Engler 648, 650, †669, 673
—— *borneense* Ridl. 650, †669, 670, *671
—— *cylindricum* (Ridl.) K. Schum. 654, 672
—— *griffithii* (Baker) K. Schum. in Engler 654, 670, 672
—— cf. *jagorianum* 670
—— *latifolium* (Blume) K. Schum. 648, 650, 669, †670, *671, 672
—— *placentarium* (Lour.) Clausager & Borchs. 650, 669, †672
—— *sumatranum* 650, 670
Stachys hildebrandtii 420
Stenosiphonium Nees 1 – 4, 7, 9, 132
Sterculiaceae 625, 971
Stereum 760
Stipia keniensis subsp. *somaliensis* 421
Stoebe kilimanscharica 632
Stomatostemma pendulina Venter & D. V. Field 434
Strobilanthes: panicled species from East Asia, J. R. I. Wood & R. W. Scotland 679
Strobilanthes Blume 1 – 10, 14, 16, †17, 31, 44, 84, 92, 94, 97, 99, 103, 104, 106, 107, 116, 119, 121, *124, 125, 126, 128, 131, *132, 133, 134, *135, *136, *137, *138, 139 – 142, 144, 147, 154, 158, 162, 679, 680, 682, 695, 700
—— *sensu* Bremek. 133
—— *sensu* Lindau 4
—— *sensu* Miquel 4
—— *sensu* T. Anderson 1, 4
—— sect. *Strobilanthes* subsect. *Strobilanthes* 133
—— group *A* 20
—— group *B* 20, 21
—— group *C* 20, 21
—— group *D* 20, 21
—— group *Leptacanthus* 139
—— group *Sympagis* 133, 137, 139, 140, 154, 158, 162, 168
—— *aborensis* Dunn 700
—— *accrescens* J. R. I. Wood 8
—— *acrocephala* T. Anderson 135
—— *acuminata* (Nees) T. Anderson 56, 97, 99
—— *adpressa* J. R. I. Wood †110, *111, 112
—— *aenobarba* *132
—— *affinis* (Griff.) Terao ex J. R. I. Wood *132, †134
—— *afriastiniae* J. R. Benn. 15, 22, 51, 72, †74, 133, 139, 141, 144, 145, †149, 151
—— *alata* Blume 5, 8, 10, 11, *12, 21, †49, *50, 51, 52, 134, *135, 139, 141, 151, †158, 159
—— —— Nees in DC. 49
—— *alatiramosa* Lo & D. Fang 139
—— *alboviridis* J. B. Imlay 83, 97, †100, *101, 102 – 104, 128
—— *amplectens* Nees in Wall. 90
—— *ancolana* Miq. 65, 149
—— *apoesensis* Hochr. 40
—— *aprica* (Hance) T. Anderson ex Benth. 134
—— *argentea* J. B. Imlay 117

Strobilanthes

Strobilanthes asymmetrica J. R. I. Wood & J. R. Benn. 133, *138, 139, 141, †161, 162, *163
—— *auriculata* Nees in Wall. 84, †89, *90, 91 – 94, 99, 110, 112, *124, 128
—— —— var. *acuta* Benoist in Lecomte 89, †90
—— —— var. *bracteolata* C. B. Clarke in Hook. f. 89
—— —— var. *dyeriana* (Mast.) J. R. I. Wood *90, †92, 93, 94
—— —— var. *edgeworthiana* C. B. Clarke in Hook. f. 91
—— —— var. *plumulosa* C. B. Clarke in Hook. f. 90
—— —— var. *rubrifolia* Benoist in Lecomte 90, 94
—— —— var. *siamensis* (C. B. Clarke) Benoist in Lecomte 91
—— *autapomorpha* J. R. Benn. *6, 8, 9, *15, 22, 56, †70, *71, 72, 74, 75, 117, 133 – 136, 139, 141, 142, 144, †145, 147, 149, 151
—— *axilliflora* C. B. Clarke ex S. Moore 13, 20, †31, 32, 114
—— *backeri* (Bremek.) J. R. Benn. 6, *15, 22, 39, †62, *63, 139, 141, 142, 144 – 146, †147, 148
—— *bibracteata* Blume *3, 5, 7, 9, 10, *11, 21, †32, *33, 34, 122
—— *bidentata* J. R. I. Wood 83, 84, 142
—— *bipartita* Terao ex J. R. I. Wood 117, †122, *123, 126
—— *blumei* Bremek. 66, 150
—— —— var. *puberula* Bremek. 66, 150
—— —— var. *tomentella* Bremek. 66, 150
—— —— var. *typica* 66, 150
—— *boerlagei* Bremek. 66, 150
—— —— var. *densipila* Bremek. 66, 150
—— —— var. *sparsipila* Bremek. 66, 150
—— —— var. *typica* 66, 150
—— *bogoriensis* Lindau 75
—— *boholensis* Merr. 12, 20, †29, 30, 31, 114
—— *botryantha* D. Fang & Lo 112
—— *bremekampiana* J. R. I. Wood & J. R. Benn. *138, 139, 141, 144, †147, *148
—— *brunoniana* Nees in Wall. 139, 141, †166, 167
—— *bunnemeyeri* J. R. I. Wood 680, †686, *687, 688, 689
—— *calcicola* J. R. I. Wood & J. R. Benn. 117, 134, *136, 139, 141, 144, †145, *146, 147
—— *candida* J. R. I. Wood 13
—— *capillipes* [C. B. Clarke ex] Ridl. 681, 683, 684, 689, *690, †693, 694
—— *cernua* Blume 5, 7, 9, *14, 22, 62, †64, *67, 68 – 70, 72, 74, 75, 134, 139, 141, 144, 145, †149, 150,1 51, 155
—— —— var. *brevistipitata* Bremek. 64
—— —— var. *crenulata* (Blume) Hochr. 65
—— —— var. *laxiflora* Blume 64, 70, 149
—— —— var. *macrostachya* Hallier f. 65, 149
—— —— var. *multiflora* Nees in DC. 65, 149
—— —— var. *typica* 64
—— *coertii* Terao ex J. R. Benn. 15, 21, 39, †62, 139, 141, 142, 144, †155, 172
—— *cognata* Benoist 112
—— *collina* Nees 679
—— *colorata* (Nees) T. Anderson 22, 696
—— —— var. *crinita* (Nees) C. B. Clarke in Hook. f. 22, 695
—— —— Nees in DC. 22, 695
—— —— Nees in Hook. 22
—— *comosa* Benoist 52

Strobilanthes

Strobilanthes consors C. B. Clarke 139
—— *cordiformis* Lindau 75, 100
—— *corrugata* J. B. Imlay 117
—— *crassifolia* Miq. 122
—— *crenulata* (Blume) Hassk. 65, 149
—— *crinita* (Nees) T. Anderson 22, 695
—— *cusia* (Nees) Kuntze 106
—— *cycla* [C. B. Clarke ex] W. W. Sm. 117, 133, 134, *135, 140 – 142, 144, †151, *152, 153, 154, 158
—— *debilis* C. B. Clarke in Hook. f. 52, 54
—— —— Hemsl. 52
—— *decipiens* J. R. I. Wood †112, *113, 114 – 116, 129
—— *decumbens* (Bremek.) J. R. I. Wood 95, 97, 98, 128
—— *deminuta* S. Moore 46, 48, 49, 159
—— *denticulata* (Nees) T. Anderson †104, *105, 106 – 108, 110, 112, 128, 679
—— *diclipteroides* Miq. 49, 51, 158
—— *discolor* Nees 680
—— *dispar* (Hassk.) Hassk. 65, 149
—— *dryadum* *111, 112
—— *dyeriana* Mast. 92
—— *echinata* Nees 91, 122
—— *edgeworthiana* Nees in DC. 90
—— *elata* Jungh. 65, 149
—— *erosa* Nees in DC. 36
—— *euantha* J. R. I. Wood 681, 693, †697, *698, 699
—— *everettii* Rolfe 24, 26
—— *exserta* C. B. Clarke 9
—— *exsucca* Lindau 75
—— *farinosa* C. B. Clarke 103
—— *faurei* Benoist 118
—— *ferruginea* D. Fang & Lo 112
—— *filiformis* Blume 6, 7, 8, 10, *11, 20, †24, *25, 26, 139, 680
—— *flaccidifolia* Nees in DC. 104, 106, 107
—— *flexicaulis* Hayata 115, †118, 119, *125, 129
—— —— var. *tashiroi* (Hayata) T. Yamaz. 119
—— *foetidissima* Kurz 88
—— *frondosa* J. R. I. Wood 139, 141, 153, †164, 165, 166
—— *gardeneriana* C. B. Clarke 9
—— *glandulifera* Hatus. 118
—— *glandulosa* (T. Anderson) Kurz 54
—— —— Blume 6, 11, 21, 49, †54, *55, 56, 75, †99, 168, 686
—— *glomerata* (Nees) T. Anderson 6, 11, 21, †43, 44, *45, 75
—— *griffithiana* (Nees) T. Anderson 104, 112
—— *hamiltoniana* (Steud.) Bosser & Heine 6, 7, *8, 11, 20, †22, 23, 680, 681, 691, *692, 693, 694, †695, 696, 697, 699
—— *helferi* T. Anderson 89, 94, †95, *96, 98
—— *heliophila* J. R. I. Wood 95, *96, †98
—— *himalayana* J. R. I. Wood 134, 139, 141, 166, †167, 168
—— *hirsuta* Decne. 38
—— *hirta sensu* Blume 149, 157
—— —— *sensu* Bremekamp 65
—— —— (Vahl) Blume var. *crenulata* Blume 65, 70, 149, 155, 157
—— *hirtus* 65
—— *hossei* C. B. Clarke 97
—— *imbricata* Nees in Wall. 65, *137, 139, 141, 153, †155, *156, 157, 163
—— —— var. *blumei* Bremek. 65, 150

Strobilanthes

Strobilanthes imbricata var. *glandulosa* Bremek. 66, 150
—— —— var. *typica* 65
—— —— *sensu* Bremekamp 150
—— *incisa* J. B. Imlay 91
—— *involucrata* Blume 5, 7, *8, 10, 11, 21, 34, †35, 36, *37, 38, 39
—— —— var. *beta* Blume 36, 38
—— —— var. *genuinus* Hochr. 36
—— —— var. *tjibodensis* (Hochr.) Bremek. 36
—— *kachinensis* J. R. I. Wood & J. R. Benn. 134, *135, 139, 141, 168, *169, †170, 171
—— *kerrii* Craib 40, 43
—— *khasyana* (Nees) T. Anderson 139, 141, 168, †171
—— *kinabaluensis* Stapf 39, 43
—— *koordersii* C. B. Clarke ex Koord. 15, 21, 51, †60, *61, 138, 139, 141, 150, †155
—— *korthalsii* (Bremek.) [Terao ex] J. R. I. Wood †122, *123, 129
—— *labordei* H. Lév. 115, 134
—— *laevigata* C. B. Clarke 696
—— *lamium* C. B. Clarke ex W. W. Sm. 112
—— *lancifolia* T. Anderson 100, 103, 679
—— *lawangensis* Bremek. 66, 150
—— *leucopogon* Ridl. 90 – 92
—— *lilacina* C. B. Clarke 115 – 117, *124
—— *longgangensis* D. Fang & Lo 112
—— *longifolia* Miq. var. *crenulata* (Blume) Miq. 65, 149
—— —— var. *gamma* Miq. 64
—— *longipes* C. B. Clarke in Hook. f. 56, 89, 95, †97
—— *longzhouensis* Lo & D. Fang 112
—— *maclellandii* C. B. Clarke in Hook. f. 92
—— —— var. *latipes* C. B. Clarke in Hook. f. 92
—— *maculata* (Wall.) Nees in DC. *132, 139, 141, 150, †164
—— *maxwellii* J. R. I. Wood *101, 102, †103, 104
—— *micholitzii* Ridl. 65, 149
—— *microcarpa* T. Anderson 108, 147, 681, 688, †699, 700
—— *microcephala* Benoist 46, 48, 159
—— *mogokensis* Lace 112, 114, †115, *116, *124, 129
—— *monadelpha* Nees in Wall. 139, 141, †167
—— *moschifera* Blume 6, 21, 49, †52, *53, 54, 75
—— *multidens* C. B. Clarke 696
—— *multiflora* Ridl. 680, 683, †684, *685, 693
—— *myriostachya* D. Fang & Lo 112
—— *orthostachya* (Bremek.) J. R. I. Wood & J. R. Benn. 139, 141, †159, *160, 161
—— *ovatifolia* (Bremek.) J. R. I. Wood 680, 681, 693, †694, 699
—— *panichanga* (Nees) T. Anderson 679, 680, †682, 683
—— *paniculata* (Nees) Miq. 11, 16, 21, †44, *47, 48, 49, 51, 134, *137, 139, 141, 151, †158, 159, *160, 161
—— —— var. *alata* (Blume) Miq. 44, 49, 158
—— —— T. Anderson 46
—— *parabolica* Nees in DC. 15, 22, 60, 68, †72, *73, 74, 139, 141, †150, 151
—— *parishii* C. B. Clarke in Hook. f. 85, 88
—— *parryorum* C. E. C. Fisch. *105, 106, †107, 112
—— *parvibracteata* C. B. Clarke 88
—— *pateriformis* Lindau 139
—— *pedunculosa* Miq. 12, 20, †27, *28, 29, 679, 680, †682
—— *pendula* J. R. I. Wood & J. R. Benn. 139, 141, †159, *160, 161

Strobilanthes

Strobilanthes peninsularis Terao †107, 147
—— *pentstemonoides* T. Anderson *3, 100, 121, 134, 680
—— *perplexa* J. R. I. Wood †119, *120, 121, *125, 129
—— *petiolaris* auct. *sensu* C. B. Clarke 167
—— —— Nees in DC. 167
—— —— var. *tubiflos* C. B. Clarke in Hook. f. 168
—— *picta* Koord. 65, 149
—— *pierrei* Benoist 40, 43
—— *plumulosa* Nees in Wall. 90-92
—— *polybotrya* Miq. 680, †683, 684
—— *polycephala* Miq. 65, 149
—— *polystachya* Benoist 62, 155
—— *prahuensis* S. Moore 65, 149
—— *prianganensis* Bremek. 65, 149
—— *prionophylla* Hayata 118
—— *pterocaulis* Kurz 155
—— *pubescens* (Bremek.) J. R. I. Wood 680, 681, 693, †699
—— *ramosissima* J. R. I. Wood 680, 683, 686, †689, *690
—— *rankanensis* Hayata 118, †119, *125, 129
—— *rantii* Bremek. 66
—— *renschiae* (Bremek.) J. R. I. Wood & J. R. Benn. 112, 116, †117, 129, 133, 134, *136, 139, 141, †142, *143, 144, 145
—— *repanda* (Blume) J. R. Benn. 6, 8, 11, *12, 16, 21, 49, †56, *58, 59, 97, †99, 100, 128
—— *rex* C. B. Clarke 100
—— *rivularis* J. R. I. Wood & J. R. Benn. 140, 141, *165, †166
—— *rubescens* subsp. *parishii* (C. B. Clarke) J. R. I. Wood 85, *86, 87, †88
—— —— subsp. *parvibracteata* (C. B. Clarke) J. R. I. Wood *86, 87, †88
—— *rubiginosa* 85
—— *rubroglandulosa* Craib 57, 99
—— *rufescens* (Roth) T. Anderson 83, 84, †85, 89, 99, 117, 122, *124, 128, 142
—— —— subsp. *rufescens* †85, †86, 87, 88
—— —— var. *rubiginosa* C. B. Clarke 85
—— *sabiniana* Nees 164
—— *schweliensis* W. W. Sm. 700
—— *scoriarum* W. W. Sm. 680, 681, 688, †700
—— *serrata* J. B. Imlay 134, 139 – 141, 166, †168, 170, 171
—— *setosa* J. R. I. Wood 681, 688, 691, †696, 699
—— *siamensis* C. B. Clarke 91
—— *simonsii* T. Anderson 43
—— *slamatensis* Bremek. 66, 150
—— *spathulata* R. Parker 97
—— *speciosa* Blume 5, 11, *13, 16, 21, †39, *41, 42, 43, 49, 75
—— *steenisiana* J. R. Benn. 7, *8, 11, 21, †34, 35, 39
—— *stenodon* C. B. Clarke 9
—— *stenura* (Bremek.) J. R. Benn. 10, 21, †51, 52, 139, 141, †158
—— *straminea* W. W. Sm. 680
—— *subcapitata* C. B. Clarke in Hook. f. 46, 48, 159
—— *subflaccida* Kurz 56, 97, 99
—— —— var. *longispicata* Benoist in Lecomte 57, 99
—— *sumatrana* Miq. 121
—— *tashiroi* Hayata 115, 118, †119, *120, 121, *125, 129
—— *tenax* Dunn 110, 680, 681, 684, †701
—— *tenuiflora* J. R. I. Wood 681, †691, *692, 693, 699
—— *teraoi* J. R. I. Wood & J. R. Benn. 117, *132, 133, 139 – 142, 144, †151, *154

Strobilanthes

Strobilanthes teysmannii Miq. 65, 149
—— *thomsonii* T. Anderson 680
—— *timorensis* Nees 147
—— *tonkinensis* Lindau 679
—— *trichophora* C. E. C. Fisch. 90, 91
—— *tripartita* J. R. I. Wood †108, *109, 110, 112, 128
—— *truncata* D. Fang & Lo 102
—— *tubiflos* (C. B. Clarke) J. R. I. Wood 134, 139, 141, †168, *169, 170, 171
—— *urticifolia* Kuntze var. *multilobulata* Kuntze 24
—— *venusta* Craib 90, 91
—— *viscida* J. B. Imlay 117
—— *viscosus* (Nees) T. Anderson 70, 145
—— *wallichii* 91, 94, 118
—— *warburgii* Terao ex J. R. Benn. 7, 13, 21, 34, †38, 39
—— *winckelii* (Bremek.) J. R. Benn. 13, 20, †31
—— sp. 141, †142, *143, 144
Strophacanthus dichotomous (Blume) Lindau 26
Strychnos staudtii 227
Stuckertia Kuntze in Post & Kuntze 714
Studies in the genus Jasminum (Oleaceae), XVIII. Lectotypification of Nyctanthes undulata L., P. S. Green 296
Stylosanthes: A new species of Stylosanthes Sw. (Leguminosae-Papilionoideae) from Mato Grosso do Sul, Brazil, Nuno Maria de Sousa Costa & Cassio van den Berg 743
Stylosanthes Sw. 743, 746
—— sect. *Styposanthes* 746
—— *aurea* M. B. Ferreira & Sousa Costa 743
—— *biflora* (L.) Britton, Sterns & Poggenb. 743
—— *capitata* Vogel 743
—— *erecta* P. Beauv. 743
—— *fruticosa* (Retz.) Alston 743
—— *gracilis* Kunth 743
—— *grandiflora* M. B. Ferreira & Sousa Costa 743
—— *guianensis* (Aubl.) Sw. 743
—— *hippocampoides* Mohlenbr. 743
—— *leiocarpa* Vogel 743, 745 – 747
—— *macrocephala* M. B. Ferreira & Sousa Costa 743
—— *maracajuensis* Sousa Costa & Van den Berg †743, *744, *745, 746, 747
—— *montevidensis* Vogel 743
—— *pilosa* M. B. Ferreira & Sousa Costa 743
—— *ruellioides* Mart. 743
—— *scabra* Vogel 743
—— *sericeiceps* S. F. Blake 743, 746, 747
—— *sundaica* Taub. 743
—— *tomentosa* M. B. Ferreira & Sousa Costa 743
—— *viscosa* Sw. 743, 745 – 747
Styppeiochloa: A new species of Styppeiochloa De Winter (Poaceae) from Angola, Thomas A. Cope & Bruno Ryves 739
Styppeiochloa De Winter 739, 741
—— *catherineana* Cope & Ryves †739, *740
—— *gynoglossa* (Gooss.) De Winter 739, 741
—— *hitchcockii* (A. Camus) Cope †741
Sunderland, Terry C. H.: Two new species of rattan (Palmae: Calamoideae) from the forests of West and Central Africa 987
Suregada celastroides Radcl.-Sm. & Petra Hoffm. (Euphorbiaceae), a new species from eastern Madagascar, Alan Radcliffe-Smith, Petra Hoffmann, Roland Ranaivojaona & Hélène Ralimanana 965
Suregada Roxb. ex Rottler 965

Suregada

Suregada adenophora Baill. 969
—— *boiviniana* Baill. 965, 969
—— *bracteata* Radcl.-Sm. 965, 969
—— *capuronii* Leandri 969
—— *celastroides* Radcl.-Sm. & Petra Hoffm. †965, *967, 968
—— *comorensis* Baill. 969, 970
—— *crenulata* Baill. 969
—— *decidua* Radcl.-Sm. 970
—— *eucleoides* Radcl.-Sm. 969
—— *gaultheriifolia* Radcl.-Sm. 965, 969
—— *grandiflora* Radl.-Sm. 969
—— *humbertii* (Leandri) Radcl.-Sm. 970
—— *laurina* Baill. 969
—— *nigricaulis* Radcl.-Sm. 969
—— *perrieri* (Leandri) Radcl.-Sm. 965, 969
Svitramia Cham. 403, 406, 408, 410
—— *hatschbachii* Wurdack 403, 404, 406, 408, 412
—— *integerrima* R. Romero & A. B. Martins †403, 404, *405, 406, 410, 412
—— *minor* R. Romero & A. B. Martins 403, 404, †406, *407, 408, 412
—— *petiolata* R. Romero & A. B. Martins 403, 404, †408, *409, 410, 412
—— *pulchra* 403, 404, 412
—— *wurdackiana* R. Romero & A. B. Martins 403, 404, 406, 408, †410, *411, 412
Sycopsis Oliv. 727, 728, 730
—— *dunnii* Hemsl. 730
Sympagis (Nees) Bremek. 117, 133, 142, 147, 149–151, 157, 161, 164, 166, 167
—— *brunoniana* (Nees) Bremek. 167
—— *maculata* (Wall.) Bremek. 164
—— *monadelpha* (Nees) Bremek. 167
Synarundinaria alpina 978
A synopsis of Morrenia Lindl. (Apocynaceae subfam. Asclepiadoideae), D. J. Goyder 713
Synopsis of the Oleaceae from the Indian Sub-Continent, P. S. Green 257
Syringa L. 257, 270
—— *afghanica* C. K. Schneid. 270, †271
—— *emodi* Wall. ex Royle 270, †271
—— *laciniata* 271
—— *?persica* 271
—— *villosa* var. *emodi* (Wall. ex Royle) Rehder in L. H. Bailey 271
—— *vulgaris* L. 270, 271
—— —— var. *emodi* (Wall. ex Royle) Jaub. 271
Syzygium cordatum 220
—— *staudtii* (Engl.) Mildbr. 449
—— sp. 220

Tabernaemontana 220
—— *stapfiana* 978
Tacazzea galactogoga 612
Tamonea 937
Tarchonanthus 417
Tarphochlamys affinis (Griff.) Bremek. 135
The taxonomic position of Parodianthus (Verbenaceae): a morphological survey of the gynoecium and inflorescence, Susana Martínez & María E. Múlgura de Romero 929
A taxonomic revision of the Gymnosporia mossambicensis group (Celastraceae: Celastroideae), M. Jordaan & A. E. van Wyk 833
Teclea 220

Teixeira

Teixeira, S. P., Goldenberg, R. & Martins, A. B.: Anther dehiscence and circumscription of Miconia sect. Hypoxanthus (Melastomataceae) 195
Tenicroa 507
Tetraglochidium Bremek. 18, 122
—— *bibracteatum* (Blume) Bremek. 32
Tetragompha Bremek. 83, 121, 122
—— *korthalsii* Bremek. 122
Tetragona retusa Thulin 926
Tetrapilus dentatus (Wall. ex DC.) L. A. S. Johnson 259
—— *dioicus* (Roxb.) L. A. S. Johnson 259
—— *polygamus* (Wight) L. A. S. Johnson 259
Teucrium polium 417, 420
Thailentadopsis Kostermans (Leguminosae: Mimosoideae: Ingeae) resurrected, G. P. Lewis & B. D. Schrire 491
Thailentadopsis Kosterm. 491, †492, 493
—— *nitida* (Vahl) G. P. Lewis & Schrire 491, †492, 493
—— *tenuis* (Craib) Kosterm. 492, †493
—— *vietnamensis* (I. C. Nielsen) G. P. Lewis & Schrire †493
Thalia canniformis G. Forst. 651
Themeda Forssk. 243
—— *pseudotremula* Potdar, Salunkhe & S. R. Yadav †243, *244, 245
—— *quadrivalvis* (L.) Kuntze 245
—— *tremula* (Nees ex Steud.) Hack. 243, 245
—— *triandra* 632
Thespesia sp. 632
Thismia Griff. 951
—— *melanomitra* 943
Thismiaceae 951
Thouinia natans L. f. 262
Three new succulent species of Apocynaceae (Asclepiadoideae) from southern Africa, P. V. Bruyns 427
Thulin, Mats: A new species of Acacia (Leguminosae-Mimosoideae) from Somalia 495
Thulin, Mats, Ryding, Olof, Paton, Alan & Springate, David: Reconsideration of the genus Puntia and a new species of the genus Endostemon (Lamiaceae) 919
Thymelaeaceae 611, 612, 631
Thymus vulgaris L. 919
Tibouchina Aubl. 403
Tiliaceae: New taxa and new combinations of Microcos (Tiliaceae) from Peninsular Malaysia and Borneo, R. C. K. Chung 329
Tiliaceae 329
Timotocia ibicifolia (Moldenke) Moldenke 930
Tremella arachispora: a new species from Mount Cameroon, P. J. Roberts 763
Tremella L. 763, 764
—— *anomala* Möller 763
—— *arachispora* P. Roberts †763, *764
Triaenacanthus Nees 2, 83, 104, 106, 112
—— *flexicaulis* Hayata 118
—— *griffithianus* Nees in DC. 104, 107
Triaenanthus 104
Trichaptum abietinum (Pers.) Ryvarden 759
Trichilia dregeana 978
—— *emetica* 952
Trichoscypha ulugurense 978
Triuridaceae: Kupea martinetugei, a new genus and species of Triuridaceae from western Cameroon, M. Cheek, S. A. Williams & M. Etuge 225

Triuridaceae

Triuridaceae: Kupeaeae, a new tribe of Triuridaceae from Africa, Martin Cheek 939
Triuridaceae 225, 227, 228, 939, 940, 943, 944, 948
—— tribe *Kupeaeae* Cheek & S. A. Williams †940, 943, 947, 948
—— tribe *Sciaphileae* 227, 940, 948
—— tribe *Triurideae* 227, 228, 940
Triuris 944
Turrea mombassana 625
Two new species of Acanthaceae from NE tropical Africa and Arabia, Ensermu Kelbessa 703
Two new species of Phyllanthus (Euphorbiaceae) from southwest Cameroon, Petra Hoffmann & Martin Cheek 437
Two new species of rattan (Palmae: Calamoideae) from the forests of West and Central Africa, Terry C. H. Sunderland 987
Two new species of Rinorea (Violaceae) from western Cameroon, G. Achoundong & Martin Cheek 957
Tylodontia cubensis Griseb. 883
Tylophora: A new species of Tylophora (Apocynaceae: Asclepiadeae) from central Somalia, D. J. Goyder 723
Tylophora R. Br. 723, 724
—— *arachnoidea* Goyder †724, *725
—— *badia* (E. Mey.) Schltr. 883
—— *cordata* (Thunb.) Druce 883
—— *lugardae* Bullock 724
—— *stenoloba* (K. Schum.) N. E. Br. 724, 884

Uapaca sp. 632
Ulmus 323
Umbilicus botryoides 420
Unguiculariopsis Rehm. 750, 753
Unguiculella Höhn. 750, 753
—— *aggregata* (Feltgen.) Höhn. 753
—— *jamaicensis* W. Y. Zhuang & Korf 753
—— *meliolicola* Dennis 753
—— *nectriiphila* Svrček 753
—— *oregonensis* (Kanouse) Dennis 753
—— *tityrii* (Velen.) Huhtinen & Spooner †750, 751, *752, *754, *755
Upson, Tim M. & Jury, Stephen L.: The recircumscription and lectotypification of Lavandula antineae Maire and description of a new species L. saharica Upson & Jury (Lamiaceae) 889
Upson, Tim & Andrews, Susyn: A new species of Lavandula L. (Lamiaceae) from Gran Canaria, Canary Islands 903
Urginea Steinh. 507
—— *congesta* Wight 507, 508
Urtica 298
Urticaceae: Morphology and anatomy of fruits in Pouzolzia (Urticaceae) in relation to taxonomy, T. I. Kravtsova, I. Friis & C. M. Wilmot-Dear 297
Urticaceae: A new species of Boehmeria (Urticaceae), B. burgeriana Wilmot-Dear, Friis & Kravtsova, endemic to Costa Rica, C. M. Wilmot-Dear, I. Friis & T. I. Kravtsova 213
Urticaceae 216, 298
—— tribe *Boehmerieae* 218, 297, 298, 318
Usnea sp. 422
Utteridge, T. M. A.: Maesa from New Guinea: a new species and a revised description of Maesa beamanii. Contibutions to the Flora of Mt Jaya, X 237

Utteridge

Utteridge, T. M. A. & Brummitt, N. A.: A second species of Distyliopsis (Hamamelidaceae) from New Guinea 727
Uvariodendron anisatum Verdc. 499

Valerianaceae 323
Validation of the name Lamioideae (Labiatae), R. M. Harley 765
van der Vossen, H. A. M. & Umali, B. E. (eds.): PROSEA. Plant resources of South East Asia 14. Vegetable oils and fats (Rev.) 236
Vavaea 16
Vellozia sp. 625
Velloziaceae 620, 625
Vepris 973
—— sp. 978
Verbena 930
—— *venosa* 934
Verbenaceae 486, 632, 934, 936, 937
—— *sensu lato* 929, 930, 937
—— *sensu stricto* 936, 937
—— subfam. *Verbenoideae* 929, 930, 934, 936, 937
—— subfam. —— tribe *Casselieae* (Schauer) Tronc. 937
—— subfam. —— tribe *Citharexyleae* Briq. 929
—— subfam. —— tribe *Verbeneae* 930, 937
—— subfam. —— subtribe *Casseliinae* Schauer 937
—— subfam. *Viticoideae* Briq. 929, 930, 934, 937
—— subfam. —— tribe *Parodiantheae* Caro 930
—— tribe *Lantanae* 930
—— tribe *Petreeae* 930
Verdcourt, B.: A new species of Cyphostemma (Vitaceae) from Tanzania 503
Vernonia: A new Vernonia (Compositae: Vernonieae) from the Udzungwa Mountains, Tanzania, Quentin Luke & Henk Beentje 977
Vernonia 977, 980
—— *glabra* 977, 980
—— *kigomae* 980
—— *luhomeroensis* Q. Luke & Beentje †977, *979
—— *myriantha* 978
—— sp. 632
—— sp. *G* 980
Viguieranthus 492
Vincetoxicum 724
Violaceae 500, 957
Virectaria angustifolia (Hiern) Bremek. 734
Visiania grandiflora (Wall. ex G. Don) DC. 269
—— —— DC. 268
—— *robusta* (Roxb.) DC. 267
Vitaceae: A new species of Cyphostemma (Vitaceae) from Tanzania, B. Verdcourt 503
Vitaceae 503, 632
Vitex sp. 978
Voacanga thouarsii Roem. & Schult. 220

Wasshausen, D. C. & Wood, J. R. I.: Notes on the genus Justicia in Bolivia 769
White, James J. & Bruno, Lugene B.: Anne Ophelia Todd Dowden. A Blossom on the Bough. Catalogue of an exhibition 19 Sept. 2002 to 28 Feb. 2003 (Also received) 255
Widdringtonia 632
Williams, S. A., Cheek, M. & Etuge, M.: Kupea martinetugei, a new genus and species of Triuridaceae from western Cameroon 225

Wilmot-Dear

Wilmot-Dear, C. M., Friis, I. & Kravtsova, T. I.: A new species of Boehmeria (Urticaceae), B. burgeriana Wilmot-Dear, Friis & Kravtsova, endemic to Costa Rica 213
Wilmot-Dear, C. M., Kravtsova, T. I. & Friis, I.: Morphology and anatomy of fruits in Pouzolzia (Urticaceae) in relation to taxonomy 297
Withania somnifera 421
Wood, J. R. I., Bennett, J. R. & Scotland, R. W.: Notes on Strobilanthes: the Sympagis group 131
Wood, J. R. I. & Scotland, R. W.: The 2-lipped species of Strobilanthes (Acanthaceae) 83
Wood, J. R. I. & Scotland, R. W.: Strobilanthes: panicled species from East Asia 679
Wood, J. R. I. & Wasshausen, D. C.: Notes on the genus Justicia in Bolivia 769
Wyk, A. E. van & Jordaan, M.: A taxonomic revision of the Gymnosporia mossambicensis group (Celastraceae: Celastroideae) 833

Xanthorrhoeaceae 209
Xerophyta 434
—— sp. 620
Ximea sp. 632
Xylopia africana (Benth.) Oliv. 442
—— sp. 220, 952
Xymalos monospora 978

Yadav, S. R., Potdar, G. G. & Salunkhe, C. B.: A new species of Themeda Forssk. (Poaceae) from India 243
Yao, Y-J. & Spooner, B. M.: The occurrence of Geopora arenosa in the British Isles 247

Zanha golungensis 952
Zappi, D.: Revision of Rudgea (Rubiaceae) in Southeastern and Southern Brazil 513
Zenkerella citrina Taub. 449
Zenkeria Trin. 741
Zingiberales 647, 648
Ziziphus mucronata 625
Zygocarpum gillettii (Thulin) Thulin & Lavin 926
Zygophyllaceae 175